

SIEMENS

Ingenuity for life



3VJ Moulded Case Circuit Breakers

The Perfect Choice

Price List w.e.f. 1st March, 2021

3VJ Moulded Case Circuit Breaker

NEW

- Rated current: 20A to 400A
- 2[^] pole, 3 pole & 4 pole versions
- Breaking capacity : 18kA to 55kA
- Thermal magnetic trip unit (FTFM, ATFM)
- Various Internal & External accessories

3VJ10 MCCB, Thermal Magnetic Trip Unit, Fixed Thermal Fixed Magnetic (FTFM), 415VAC, 50Hz

Frame Size	Breaking Capacity @415V AC, 50/60Hz	Rated Current In (A)	2 [^] Pole Type	Unit MRP* ₹	3 Pole Type	Unit MRP* ₹	4 Pole Type	Unit MRP* ₹
3VJ10 (VJ1 125X)	18kA	20	3VJ1002-1DA22-0AA0	3430.-	3VJ1002-1DA32-0AA0	4950.-	3VJ1002-1EA42-0AA0	6350.-
		25	3VJ1092-1DA22-0AA0	3430.-	3VJ1092-1DA32-0AA0	4950.-	3VJ1092-1EA42-0AA0	6350.-
		32	3VJ1003-1DA22-0AA0	3430.-	3VJ1003-1DA32-0AA0	4950.-	3VJ1003-1EA42-0AA0	6350.-
		40	3VJ1004-1DA22-0AA0	3430.-	3VJ1004-1DA32-0AA0	4950.-	3VJ1004-1EA42-0AA0	6350.-
		50	3VJ1005-1DA22-0AA0	3430.-	3VJ1005-1DA32-0AA0	4950.-	3VJ1005-1EA42-0AA0	6350.-
		63	3VJ1006-1DA22-0AA0	3430.-	3VJ1006-1DA32-0AA0	4950.-	3VJ1006-1EA42-0AA0	6350.-
		80	3VJ1008-1DA22-0AA0	3430.-	3VJ1008-1DA32-0AA0	4950.-	3VJ1008-1EA42-0AA0	6350.-
		100	3VJ1010-1DA22-0AA0	3430.-	3VJ1010-1DA32-0AA0	4950.-	3VJ1010-1EA42-0AA0	6350.-
		125	3VJ1012-1DA22-0AA0	3430.-	3VJ1012-1DA32-0AA0	5675.-	3VJ1012-1EA42-0AA0	7385.-
	25kA	20	3VJ1002-3DA22-0AA0	4115.-	3VJ1002-3DA32-0AA0	5405.-	3VJ1002-3EA42-0AA0	7160.-
		25	3VJ1092-3DA22-0AA0	4115.-	3VJ1092-3DA32-0AA0	5405.-	3VJ1092-3EA42-0AA0	7160.-
		32	3VJ1003-3DA22-0AA0	4115.-	3VJ1003-3DA32-0AA0	5405.-	3VJ1003-3EA42-0AA0	7160.-
		40	3VJ1004-3DA22-0AA0	4115.-	3VJ1004-3DA32-0AA0	5405.-	3VJ1004-3EA42-0AA0	7160.-
		50	3VJ1005-3DA22-0AA0	4115.-	3VJ1005-3DA32-0AA0	5405.-	3VJ1005-3EA42-0AA0	7160.-
		63	3VJ1006-3DA22-0AA0	4115.-	3VJ1006-3DA32-0AA0	5405.-	3VJ1006-3EA42-0AA0	7160.-
		80	3VJ1008-3DA22-0AA0	4115.-	3VJ1008-3DA32-0AA0	5405.-	3VJ1008-3EA42-0AA0	7160.-
		100	3VJ1010-3DA22-0AA0	4115.-	3VJ1010-3DA32-0AA0	5405.-	3VJ1010-3EA42-0AA0	7160.-
		125	3VJ1012-3DA22-0AA0	4115.-	3VJ1012-3DA32-0AA0	6170.-	3VJ1012-3EA42-0AA0	7875.-

Notes:

Phase barriers and Front barriers are included in the standard MCCB packing

^2P in 3P Frame Size Std. Pkg. = 1 unit * MRP - Max. Retail Price



3VJ MCCB, Thermal Magnetic Trip Unit, Fixed Thermal Fixed Magnetic (FTFM), 415VAC, 50Hz

NEW

Frame Size	Breaking Capacity @415V AC, 50/60Hz	Rated Current In (A)	2 [^] Pole Type	Unit MRP* ₹	3 Pole Type	Unit MRP* ₹	4 Pole Type	Unit MRP* ₹
3VJ12 (VJ1 250)	25kA	160	3VJ1216-3DA22-0AA0	8360.-	3VJ1216-3DA32-0AA0	9700.-	3VJ1216-3EA42-0AA0	12760.-
		200	3VJ1220-3DA22-0AA0	8455.-	3VJ1220-3DA32-0AA0	9845.-	3VJ1220-3EA42-0AA0	14005.-
		250	3VJ1225-3DA22-0AA0	8545.-	3VJ1225-3DA32-0AA0	11080.-	3VJ1225-3EA42-0AA0	14590.-
		320	-	-	3VJ1332-3DA32-0AA0	21955.-	3VJ1332-3EA42-0AA0	28270.-
		400	-	-	3VJ1340-3DA32-0AA0	21955.-	3VJ1340-3EA42-0AA0	28270.-
3VJ11 (VJ1 125)	36kA	25	3VJ1192-5DA22-0AA0	6335.-	3VJ1192-5DA32-0AA0	7535.-	3VJ1192-5EA42-0AA0	9960.-
		32	3VJ1103-5DA22-0AA0	6335.-	3VJ1103-5DA32-0AA0	7535.-	3VJ1103-5EA42-0AA0	9960.-
		40	3VJ1104-5DA22-0AA0	6335.-	3VJ1104-5DA32-0AA0	7535.-	3VJ1104-5EA42-0AA0	9960.-
		50	3VJ1105-5DA22-0AA0	6335.-	3VJ1105-5DA32-0AA0	7535.-	3VJ1105-5EA42-0AA0	9960.-
		63	3VJ1106-5DA22-0AA0	6335.-	3VJ1106-5DA32-0AA0	7535.-	3VJ1106-5EA42-0AA0	9960.-
		80	3VJ1108-5DA22-0AA0	6335.-	3VJ1108-5DA32-0AA0	7765.-	3VJ1108-5EA42-0AA0	10265.-
		100	3VJ1110-5DA22-0AA0	6335.-	3VJ1110-5DA32-0AA0	7765.-	3VJ1110-5EA42-0AA0	10265.-
3VJ12 (VJ1 250)	36kA	160	3VJ1216-5DA22-0AA0	8825.-	3VJ1216-5DA32-0AA0	10860.-	3VJ1216-5EA42-0AA0	13205.-
		200	3VJ1220-5DA22-0AA0	9290.-	3VJ1220-5DA32-0AA0	13390.-	3VJ1220-5EA42-0AA0	17280.-
		250	3VJ1225-5DA22-0AA0	10485.-	3VJ1225-5DA32-0AA0	15390.-	3VJ1225-5EA42-0AA0	19805.-
3VJ13 (VJ1 400)	36kA	320	-	-	3VJ1332-5DA32-0AA0	22500.-	3VJ1332-5EA42-0AA0	28820.-
		400	-	-	3VJ1340-5DA32-0AA0	22500.-	3VJ1340-5EA42-0AA0	28820.-
3VJ11 (VJ1 125)	55kA	25	3VJ1192-7DA22-0AA0	6670.-	3VJ1192-7DA32-0AA0	9645.-	3VJ1192-7EA42-0AA0	12720.-
		32	3VJ1103-7DA22-0AA0	6670.-	3VJ1103-7DA32-0AA0	9645.-	3VJ1103-7EA42-0AA0	12720.-
		40	3VJ1104-7DA22-0AA0	6670.-	3VJ1104-7DA32-0AA0	9645.-	3VJ1104-7EA42-0AA0	12720.-
		50	3VJ1105-7DA22-0AA0	6670.-	3VJ1105-7DA32-0AA0	9645.-	3VJ1105-7EA42-0AA0	12720.-
		63	3VJ1106-7DA22-0AA0	6670.-	3VJ1106-7DA32-0AA0	9645.-	3VJ1106-7EA42-0AA0	12720.-
		80	3VJ1108-7DA22-0AA0	6670.-	3VJ1108-7DA32-0AA0	9645.-	3VJ1108-7EA42-0AA0	12720.-
		100	3VJ1110-7DA22-0AA0	6670.-	3VJ1110-7DA32-0AA0	9645.-	3VJ1110-7EA42-0AA0	12720.-
		125	3VJ1112-7DA22-0AA0	6670.-	3VJ1112-7DA32-0AA0	10610.-	3VJ1112-7EA42-0AA0	13990.-
3VJ12 (VJ1 250)	55kA	160	3VJ1216-7DA22-0AA0	9565.-	3VJ1216-7DA32-0AA0	13430.-	3VJ1216-7EA42-0AA0	17740.-
		200	3VJ1220-7DA22-0AA0	9755.-	3VJ1220-7DA32-0AA0	15445.-	3VJ1220-7EA42-0AA0	20400.-
		250	3VJ1225-7DA22-0AA0	10680.-	3VJ1225-7DA32-0AA0	17760.-	3VJ1225-7EA42-0AA0	23460.-
3VJ13 (VJ1 400)	55kA	320	-	-	3VJ1332-7DA32-0AA0	23050.-	3VJ1332-7EA42-0AA0	29645.-
		400	-	-	3VJ1340-7DA32-0AA0	23050.-	3VJ1340-7EA42-0AA0	29645.-

Notes:

Phase barriers and Front barriers are included in the standard MCCB packing

^2P in 3P Frame Size

Std. Pkg. = 1 unit

* MRP - Max. Retail Price



3VJ10 MCCB, Thermal Magnetic Trip Unit, Adjustable Thermal Fixed Magnetic (ATFM), 415VAC, 50Hz NEW

Frame Size	Breaking Capacity @415V AC, 50/60Hz	Rated Current In (A)	3 Pole Type	Unit MRP* ₹	4 Pole Type	Unit MRP* ₹
3VJ10 (VJ1 125X)	18kA	20	3VJ1002-1DB32-0AA0	5820.-	3VJ1002-1EB42-0AA0	7470.-
		25	3VJ1092-1DB32-0AA0	5820.-	3VJ1092-1EB42-0AA0	7470.-
		32	3VJ1003-1DB32-0AA0	5820.-	3VJ1003-1EB42-0AA0	7470.-
		40	3VJ1004-1DB32-0AA0	5820.-	3VJ1004-1EB42-0AA0	7470.-
		50	3VJ1005-1DB32-0AA0	5820.-	3VJ1005-1EB42-0AA0	7470.-
		63	3VJ1006-1DB32-0AA0	5820.-	3VJ1006-1EB42-0AA0	7470.-
		80	3VJ1008-1DB32-0AA0	5820.-	3VJ1008-1EB42-0AA0	7470.-
		100	3VJ1010-1DB32-0AA0	5820.-	3VJ1010-1EB42-0AA0	7470.-
		125	3VJ1012-1DB32-0AA0	6675.-	3VJ1012-1EB42-0AA0	8685.-
	25kA	20	3VJ1002-3DB32-0AA0	6690.-	3VJ1002-3EB42-0AA0	8865.-
		25	3VJ1092-3DB32-0AA0	6690.-	3VJ1092-3EB42-0AA0	8865.-
		32	3VJ1003-3DB32-0AA0	6690.-	3VJ1003-3EB42-0AA0	8865.-
		40	3VJ1004-3DB32-0AA0	6690.-	3VJ1004-3EB42-0AA0	8865.-
		50	3VJ1005-3DB32-0AA0	6690.-	3VJ1005-3EB42-0AA0	8865.-
		63	3VJ1006-3DB32-0AA0	6690.-	3VJ1006-3EB42-0AA0	8865.-
		80	3VJ1008-3DB32-0AA0	6690.-	3VJ1008-3EB42-0AA0	8865.-
		100	3VJ1010-3DB32-0AA0	6690.-	3VJ1010-3EB42-0AA0	8865.-
		125	3VJ1012-3DB32-0AA0	7635.-	3VJ1012-3EB42-0AA0	9750.-

Notes:

Phase barriers and Front barriers are included in the standard MCCB packing

Std. Pkg. = 1 unit

* MRP - Max. Retail Price



3VJ MCCB, Thermal Magnetic Trip Unit, Adjustable Thermal Fixed Magnetic (ATFM), 415VAC, 50Hz

NEW

Frame Size	Breaking Capacity @415V AC, 50/60Hz	Rated Current In (A)	3 Pole Type	Unit MRP* ₹	4 Pole Type	Unit MRP* ₹
3VJ12 (VJ1 250)	25kA	160	3VJ1216-3DB32-0AA0	10725.-	3VJ1216-3EB42-0AA0	13050.-
		200	3VJ1220-3DB32-0AA0	11580.-	3VJ1220-3EB42-0AA0	14580.-
		250	3VJ1225-3DB32-0AA0	13035.-	3VJ1225-3EB42-0AA0	17160.-
3VJ13 (VJ1 400)		320	3VJ1332-3DB32-0AA0	24390.-	3VJ1332-3EB42-0AA0	31410.-
		400	3VJ1340-3DB32-0AA0	24390.-	3VJ1340-3EB42-0AA0	31410.-
		3VJ11 (VJ1 125)	25	3VJ1192-5DB32-0AA0	8865.-	3VJ1192-5EB42-0AA0
32			3VJ1103-5DB32-0AA0	8865.-	3VJ1103-5EB42-0AA0	11715.-
40			3VJ1104-5DB32-0AA0	8865.-	3VJ1104-5EB42-0AA0	11715.-
50			3VJ1105-5DB32-0AA0	8865.-	3VJ1105-5EB42-0AA0	11715.-
63	3VJ1106-5DB32-0AA0		8865.-	3VJ1106-5EB42-0AA0	11715.-	
80	3VJ1108-5DB32-0AA0		8865.-	3VJ1108-5EB42-0AA0	11715.-	
100	3VJ1110-5DB32-0AA0		8865.-	3VJ1110-5EB42-0AA0	11715.-	
125	3VJ1112-5DB32-0AA0		10040.-	3VJ1112-5EB42-0AA0	12735.-	
3VJ12 (VJ1 250)	36kA	160	3VJ1216-5DB32-0AA0	12165.-	3VJ1216-5EB42-0AA0	14790.-
		200	3VJ1220-5DB32-0AA0	15750.-	3VJ1220-5EB42-0AA0	20325.-
		250	3VJ1225-5DB32-0AA0	18105.-	3VJ1225-5EB42-0AA0	23295.-
3VJ13 (VJ1 400)		320	3VJ1332-5DB32-0AA0	25000.-	3VJ1332-5EB42-0AA0	32020.-
		400	3VJ1340-5DB32-0AA0	25000.-	3VJ1340-5EB42-0AA0	32020.-
		3VJ11 (VJ1 125)	25	3VJ1192-7DB32-0AA0	10715.-	3VJ1192-7EB42-0AA0
32			3VJ1103-7DB32-0AA0	10715.-	3VJ1103-7EB42-0AA0	14130.-
40			3VJ1104-7DB32-0AA0	10715.-	3VJ1104-7EB42-0AA0	14130.-
50			3VJ1105-7DB32-0AA0	10715.-	3VJ1105-7EB42-0AA0	14130.-
63	3VJ1106-7DB32-0AA0		10715.-	3VJ1106-7EB42-0AA0	14130.-	
80	3VJ1108-7DB32-0AA0		10715.-	3VJ1108-7EB42-0AA0	14130.-	
100	3VJ1110-7DB32-0AA0		10715.-	3VJ1110-7EB42-0AA0	14130.-	
125	3VJ1112-7DB32-0AA0		11790.-	3VJ1112-7EB42-0AA0	15545.-	
3VJ12 (VJ1 250)	55kA	160	3VJ1216-7DB32-0AA0	14105.-	3VJ1216-7EB42-0AA0	18630.-
		200	3VJ1220-7DB32-0AA0	16220.-	3VJ1220-7EB42-0AA0	21420.-
		250	3VJ1225-7DB32-0AA0	18650.-	3VJ1225-7EB42-0AA0	24635.-
3VJ13 (VJ1 400)		320	3VJ1332-7DB32-0AA0	25610.-	3VJ1332-7EB42-0AA0	32935.-
		400	3VJ1340-7DB32-0AA0	25610.-	3VJ1340-7EB42-0AA0	32935.-

Notes:

Phase barriers and Front barriers are included in the standard MCCB packing

Std. Pkg. = 1 unit

* MRP - Max. Retail Price



3VJ Internal accessories

NEW

Frame Size	Accessory compartment/ Coil voltage	3VJ10 (VJ1 125X)	Unit MRP* ₹	3VJ11 (VJ1 125)	Unit MRP* ₹	3VJ12 (VJ1 250)	Unit MRP* ₹	3VJ13 (VJ1 400)	Unit MRP* ₹
Auxiliary Switches (AUX)	Left	3VJ9018-0AN11	1350.-	3VJ9218-0AN11	1400.-	3VJ9218-0AN11	1400.-	3VJ9417-0AN11	1450.-
	Right	-	-	3VJ9218-0AN21	1400.-	3VJ9218-0AN21	1400.-	3VJ9417-0AN21	1450.-
Alarm Switches (AL)	Left	3VJ9018-0AA11	1350.-	3VJ9118-0AA11	1350.-	3VJ9218-0AA11	1400.-	3VJ9417-0AA11	1450.-
	Right	-	-	3VJ9118-0AA21	1350.-	3VJ9218-0AA21	1400.-	3VJ9417-0AA21	1450.-
Auxiliary + Alarm Switches (AUX+AL)	Left	3VJ9018-0AD11	2200.-	3VJ9118-0AD11	2200.-	3VJ9218-0AD11	2300.-	3VJ9417-0AD11	2500.-
	Right	-	-	3VJ9118-0AD21	2200.-	3VJ9218-0AD21	2300.-	3VJ9417-0AD21	2500.-
Shunt Trip (Right) (ST)	24V DC	3VJ9218-0ST11	2800.-	3VJ9218-0ST11	2800.-	3VJ9218-0ST11	2800.-	-	-
	24V AC/DC	-	-	-	-	-	-	3VJ9417-0ST21	3000.-
	48V DC	3VJ9218-0ST12	2800.-	3VJ9218-0ST12	2800.-	3VJ9218-0ST12	2800.-	-	-
	48V AC/DC	-	-	-	-	-	-	3VJ9417-0ST22	3000.-
	110V DC	3VJ9218-0ST15	2800.-	3VJ9218-0ST15	2800.-	3VJ9218-0ST15	2800.-	-	-
	110V AC/DC	-	-	-	-	-	-	3VJ9417-0ST25	3000.-
	110V AC	3VJ9218-0ST35	2900.-	3VJ9218-0ST35	2900.-	3VJ9218-0ST35	2900.-	-	-
	220V AC	3VJ9218-0ST36	3000.-	3VJ9218-0ST36	3000.-	3VJ9218-0ST36	3000.-	3VJ9417-0ST36	3300.-
415V AC	3VJ9218-0ST37	3000.-	3VJ9218-0ST37	3000.-	3VJ9218-0ST37	3000.-	3VJ9417-0ST37	3300.-	
Undervoltage Release (Left) (UVR)	24V DC	-	-	3VJ9218-0UV11	4000.-	3VJ9218-0UV11	4000.-	-	-
	48V DC	-	-	3VJ9218-0UV12	4000.-	3VJ9218-0UV12	4000.-	-	-
	220V AC	-	-	3VJ9218-0UV36	4200.-	3VJ9218-0UV36	4200.-	3VJ9417-0UV36	10000.-
	415V AC	-	-	3VJ9218-0UV37	4500.-	3VJ9218-0UV37	4500.-	3VJ9417-0UV37	10000.-

Notes:

Internal accessories are available for 2P, 3P & 4P 3VJ MCCBs

Std. Pkg. = 1 unit

* MRP - Max. Retail Price



3VJ External accessories

NEW

Frame Size	3VJ10 (VJ1 125X)	Unit MRP* ₹	3VJ11 (VJ1 125)	Unit MRP* ₹	3VJ12 (VJ1 250)	Unit MRP* ₹	3VJ13 (VJ1 400)	Unit MRP* ₹
Accessory								
Extended Door Mounted Rotary Operator (including 8UC handle)@	3VJ9018-0HD11	2030.-	3VJ9118-0HD11	2180.-	3VJ9218-0HD11	2550.-	3VJ9417-0HD11	3220.-
Spreader Links^	3VJ9012-0ED00 (2P)	180.-	3VJ9112-0ED00 (2P)	200.-	3VJ9212-0ED00 (2P)	600.-	-	-
	3VJ9013-0ED00 (3P)	300.-	3VJ9113-0ED00 (3P)	320.-	3VJ9213-0ED00 (3P)	975.-	3VJ9313-0ED00 (3P)	1700.-
	3VJ9014-0ED00 (4P)	395.-	3VJ9114-0ED00 (4P)	410.-	3VJ9214-0ED00 (4P)	1275.-	3VJ9314-0ED00 (4P)	2400.-
Phase Barriers*	3VJ9018-OCA00	140.-	3VJ9218-OCA00	220.-	3VJ9218-OCA00	220.-	3VJ9417-OCA00	240.-
Front Barriers\$	3VJ9016-OCJ30 (2P/3P)	325.-	3VJ9116-OCJ30 (2P/3P)	385.-	3VJ9216-OCJ30 (2P/3P)	550.-	3VJ9413-OCJ30 (3P)	690.-
	3VJ9014-OCJ40 (4P)	455.-	3VJ9114-OCJ40 (4P)	485.-	3VJ9214-OCJ40 (4P)	645.-	3VJ9414-OCJ40 (4P)	845.-
Toggle handle extension	-	-	-	-	-	-	3VJ9417-0DH10	545.-

Notes:

@ 1 set contains rotary mechanism, coupler, shaft & 8UC handle.

^ Spreader link 1 set = 2 nos. links in case of 2 pole; 3 nos. links in case of 3 pole; 4 nos. links in case of 4 pole.

* Available as a spare; 1 set contains 2 phase barriers

\$ Available as a spare; 1 set contains 2 front barriers (top & bottom)

Toggle handle extension is included in the standard packing of 3VJ13 (VJ1 400) MCCB.

Std. Pkg. = 1 unit

* MRP - Max. Retail Price



