


For enquiries email at info@sbsyscon.in or call at +91 98995 98955



SECURE
www.securemeters.com



Price list

Effective from May 2025

For enquiries email at info@sbsyscon.in or call at +91 98995 98955

Index


About Secure	1
Digital panel meters	3
Elite 100 and 300	6
Elite 440	8
Elite 500	11
Position Indicators	14
Transducers	15
Analogue panel meters	18
Low voltage current transformers	25
Terms and conditions	51
Our comprehensive product range	52
Our office addresses	53
Our manufacturing units	54

Scan to download
product brochure



For enquiries email at info@sbsyscon.in or call at +91 98995 98955

About Secure



Secure is a multinational corporation based in Udaipur, Rajasthan. Founded in 1987 with a strong vision of becoming an enduring business that helps users save, reduce energy use, and live in comfort, we have come a long way. Today, we are proud to have over 7,200 Semsites across nine countries, with our products, solutions, and services reaching over 60 countries across six continents. We uphold the highest standards of data security and customer service.



For today, tomorrow and years to come
10 years no quibbles warranty

The world has woken up to the need to reduce carbon emissions and waste to avert climate catastrophe. At this critical moment, millions of meters are needed throughout the world to ensure electricity is supplied and used thoughtfully. These meters need to be built to last longer, maximising their potential and delivering more for less. Today's technology has the capacity to deliver near faultless electricity services throughout the world whilst reducing the cost of doing so. This includes generating less waste and reducing carbon emissions.

Our 10 years no quibbles warranty is another opportunity to deliver value to our customers and improve the economics for them.

DPM series

Range of digital panel meters



Pass through
mechanism



Best-in-class
accuracy



Alerts



Features

1. Reliable and accurate measurement of AC (True RMS) and DC parameters
2. LED / LCD display, touch-sense keys, field programmable
3. CT / PT ratio commissioning in field, bar Graph(LCD only)
4. Three-phase LED active energy meter with Modbus
5. IEC 62053-21 (Class 1.0 energy variant only), IEC 61326-1, IS 13875

Specifications

1. Voltage: 20V to 500V measuring range
2. Current: 50mA to 6A measuring range
3. Frequency: 45 to 65Hz, aux. burden: <3.5VA
4. Front facia: IP54, terminals IP20
5. Temperature: -10°C to 60°C (operating), -25°C to 80°C (storage)

Single-phase, LED type DPM 96X96 size

1ph 1Line 4 Digit LED Display, Dim 96x96mm	Phase	Display	Model	Catcode	New list price
AC Voltmeter, Accuracy : 0.5	1ph	LED	DPM V100	DPM96V100-2	₹ 1,420
AC Ammeter, Accuracy : 0.5	1ph	LED	DPM I100	DPM96I100-2	₹ 1,420
AC Frequency Meter, Accuracy : 0.1	1ph	LED	DPM F100	DPM96F100-2	₹ 2,555
AC Active Power Meter (Watt), Accuracy : 0.5	1ph	LED	DPM W100	DPM96W100-2	₹ 6,225
DC meter					
DC Voltmeter, Accuracy : 0.2	1ph	LED	DPM V200	DPM96V200-2	₹ 2,135
DC Ammeter, Accuracy : 0.2	1ph	LED	DPM I200	DPM96I200-2	₹ 2,135

Single-phase, LED type DPM 96X48 size

1ph 1Line 4 Digit LED Display, Dim 96x48mm	Phase	Display	Model	Catcode	New list price
AC Voltmeter, Accuracy : 0.5	1ph	LED	DPM V100	DPM48V100-2	₹ 1,420
AC Ammeter, Accuracy : 0.5	1ph	LED	DPM I100	DPM48I100-2	₹ 1,420
AC Active Power Meter (Watt), Accuracy : 0.5	1ph	LED	DPM W100	DPM48W100-2	₹ 4,920
AC Frequency Meter, Accuracy : 0.1	1ph	LED	DPM F100	DPM48F100-2	₹ 2,135
DC meter					
DC Voltmeter, Accuracy : 0.2	1ph	LED	DPM V200	DPM48V200-2	₹ 2,135
DC Ammeter, Accuracy : 0.2	1ph	LED	DPM I200	DPM48I200-2	₹ 2,470

Three-phase, LED type DPM 96X96 size

3ph 1Line 4 Digit LED Display, Dim 96x96mm	Phase	Display	Model	Catcode	New list price
AC Voltmeter, Accuracy : 0.5	3ph	LED	DPM V300	DPM96V300-2	₹ 1,995
AC Ammeter, Accuracy : 0.5	3ph	LED	DPM I300	DPM96I300-2	₹ 1,995
Energy Meter, 6 Digits, Accuracy : 1.0, with Modbus	3ph	LED	DPM E300	DPM96E300-2	₹ 5,245
3ph 3Line 4 Digit LED Display, Dim 96x96mm	Phase	Display	Model	Catcode	New list price
AC Voltmeter, Accuracy : 0.5	3ph	LED	DPM V310	DPM96V310-2	₹ 2,410
AC Ammeter, Accuracy : 0.5	3ph	LED	DPM I310	DPM96I310-2	₹ 2,410
AC Power Factor Meter, Accuracy : 0.5	3ph	LED	DPM P310	DPM96P310-2	₹ 6,150
AC Active Power Meter (Watt), Accuracy : 0.5	3ph	LED	DPM W310	DPM96W310-2	₹ 7,295
AC Reactive Power (VAR) Meter, Accuracy : 0.5	3ph	LED	DPM R310	DPM96R310-2	₹ 6,150
AC VIF Meter, Accuracy : 0.5	3ph	LED	DPM M310	DPM96M310-2	₹ 3,050

Three-phase, LED type DPM 96X48 size

1ph 1Line 4 Digit LED Display, Dim 96x48mm	Phase	Display	Model	Catcode	New list price
AC Voltmeter, Accuracy : 0.5	3ph	LED	DPM V300	DPM48V300-2	₹ 2,265
AC Ammeter, Accuracy : 0.5	3ph	LED	DPM I300	DPM48I300-2	₹ 2,265

Single-phase, LCD type DPM 96X96 size

1ph 1Line 4 Digit LCD Display, Dim 96x96mm	Phase	Display	Model	Catcode	New list price
AC Voltmeter, Accuracy : 0.5	1ph	LCD	DPM V150	DPM96V150-2	₹ 1,860
AC Ammeter, Accuracy : 0.5	1ph	LCD	DPM I150	DPM96I150-2	₹ 1,950
AC Active Power Meter (Watt), Accuracy : 0.5	1ph	LCD	DPM W150	DPM96W150-2	₹ 6,150
AC Frequency Meter, Accuracy : 0.1	1ph	LCD	DPM F150	DPM96F150-2	₹ 2,265

Single-phase, LCD type DPM 72X72 size

1ph 1Line 4 Digit LCD Display, Dim 72x72mm	Phase	Display	Model	Catcode	New list price
AC Voltmeter, Accuracy : 0.5	1ph	LCD	DPM V150	DPM72V150-2	₹ 1,835
AC Ammeter, Accuracy : 0.5	1ph	LCD	DPM I150	DPM72I150-2	₹ 1,445
AC Active Power Meter (Watt), Accuracy : 0.5	1ph	LCD	DPM W150	DPM72W150-2	₹ 3,860
AC Frequency Meter, Accuracy : 0.1	1ph	LCD	DPM F150	DPM72F150-2	₹ 2,265

Single-phase, LCD type DPM 96X48 size

1ph 1Line 4 Digit LCD Display, Dim 96x48mm	Phase	Display	Model	Catcode	New list price
AC Voltmeter, Accuracy : 0.5	1ph	LCD	DPM V150	DPM48V150-2	₹ 1,825
AC Ammeter, Accuracy : 0.5	1ph	LCD	DPM I150	DPM48I150-2	₹ 1,825
AC Active Power Meter (Watt), Accuracy : 0.5	1ph	LCD	DPM W150	DPM48W150-2	₹ 3,695
AC Frequency Meter, Accuracy : 0.1	1ph	LCD	DPM F150	DPM48F150-2	₹ 2,095

Three-phase, LCD type DPM 96X96 size

3ph 3Line 4 Digit LCD Display, Dim 96x96mm	Phase	Display	Model	Catcode	New list price
AC Voltmeter, Accuracy : 0.5	3ph	LCD	DPM V360	DPM96V360-2	₹ 3,445
AC Ammeter, Accuracy : 0.5	3ph	LCD	DPM I360	DPM96I360-2	₹ 3,445
AC Power Factor Meter, Accuracy : 0.5	3ph	LCD	DPM P360	DPM96P360-2	₹ 6,310
AC Active Power (Watt) Meter, Accuracy : 0.5	3ph	LCD	DPM W360	DPM96W360-2	₹ 7,045
AC Reactive Power (VAR) Meter, Accuracy : 0.5	3ph	LCD	DPM R360	DPM96R360-2	₹ 6,225
AC VIF Meter, Accuracy : 0.5	3ph	LCD	DPM M360	DPM96M360-2	₹ 3,935

Elite 100 and 300

Multi-line three-phase panel meter



Pass through
mechanism



Best-in-class
accuracy



Alerts



Features

1. Multi-line, configurable three-phase LED (Elite 100) and LCD (Elite 300) multi-function meters
2. Reliable and accurate true RMS measurement of AC parameters
3. Multiple variants with Modbus communication / pulse output / alarm
4. Voltage and current THD upto 31st harmonic
5. Active energy: Class 1.0 - IEC 62053-21 and Class 0.5s - IEC 62053-22, reactive energy: Class 2.0 - IEC 62053-23

Specifications

1. Voltage: Measuring (20V-500V), nominal (57.5V-240V), over voltage 150 % of U_n continuous
2. Current: Measuring (50mA-6A), nominal (1A or 5A), over current 150 % of I_n continuous (120A for 1s)
3. Frequency: 45 to 65 Hz
4. Aux supply: 40V - 300V AC / DC
5. CT and PT ratio: Field programmable primary upto 15000 A and 2000 kV

Elite 100 and 300 price list

MFM, 4 Line , Dim 96x96mm	Display	Accuracy class	Model / Catcode	New list price
Common Features: VAF + Power + PF + Current/Power Demand + RPM + THD + Min-Max + Active/Reactive/Apparent Imp/Exp/ Forwarded, Active Net, Imp/exp Gross				
VAF + Power + PF + Current/Power Demand + RPM + THD + Min-Max	LED	1.0	Elite101	₹ 5,950
Common Features	LED	1.0	Elite102	₹ 6,760
Common Features + RS-485 Modbus	LED	1.0	Elite103	₹ 7,200
Common Features + 1 pulse output	LED	1.0	Elite104	₹ 8,460
Common Features + 1 alarm output	LED	1.0	Elite105	₹ 9,000
VAF + Power + PF + Current/Power Demand + RPM + THD + Min-Max	LCD	1.0	Elite301	₹ 5,950
Common Features	LCD	1.0	Elite302	₹ 7,560
Common Features + RS-485 Modbus	LCD	1.0	Elite303	₹ 10,795
Common Features + 1 pulse output	LCD	1.0	Elite304	₹ 10,795
Common Features	LCD	0.5s	Elite306	₹ 13,675
Common Features + RS-485 Modbus	LCD	0.5s	Elite307	₹ 12,720
Common Features + 1 pulse output	LCD	0.5s	Elite308	₹ 17,280
Common Features + 1 alarm output	LCD	0.5s	Elite309	₹ 17,280
VAF + Power + PF + Current/Power Demand + RPM + THD + Min-Max + Active/Apparent Forward Energy + RS-485 Modbus	LCD	1.0	Elite30A	₹ 6,840
VAF + Power + PF + Current/Power Demand + RPM + THD + Min-Max + Active/Apparent Forward Energy + RS-485 Modbus	LCD	0.5s	Elite30B	₹ 7,920

Elite 440

Multi-line three-phase panel meter



Add on
modules



High
accuracy



Modbus
communication



Features

1. Multi-line LCD MFM - 3P3W / 3P4W - measures, records and displays electrical parameters and energies
2. Default RS-485 Modbus RTU communication and expansion modules (ethernet / pulse input-output / analogue output)
3. Average THD for voltage, current and power upto 31st harmonic, true RMS metering
4. Maximum demand recording and midnight snapshots of selected energies and parameters
5. Approval IS 13779, IS 14697, IEC 62052-11, IEC 62053-21, IEC 62053-22, IEC 62053-23, IEC 61010, IEC 62053-31

Specifications

1. Measurement voltage range: 57.7 V (100V) - 240 V (415 V) AC 3 phase 4 wire (3 phase 3 wire)
2. Current range: 1-2A and 5-10A in single variant (field configurable)
3. Aux power supply range: 80 - 300 V AC / DC or 24 - 60 V DC (variant)
4. Main frequency: 50 / 60Hz
5. Accuracy Class: 0.2s, 0.5s, 1.0

Notes:

- Ethernet (add on) module is available for all Elite 440 models as single meter module or gateway
- Additional modules (two pulse input and output or four analogue outputs) can be available in Elite 443 to Elite 448

Elite 440 price list

MFM, 4 Line backlit LCD Display, RS-485 Modbus, Dim 96x96mm	Accuracy class	Model*	New list price
VAF + THD (V & I), Fwd kWh/kVAh	0.5s	Elite 441	₹ 10,320
VAF + THD (V & I), Fwd kWh/kVAh + PF + kW + THD (Power) + RPM	0.5s	Elite 442	₹ 10,925
Common features set-1 for Elite 443 and Elite 444: VAF + THD (V & I), Fwd kWh/kVAh + PF + kW + THD (Power) + RPM + kVAR + kVA + Fwd kVARh + Ph. Angle			
Common features set-1 + Power On/Off	0.5s	Elite 443	₹ 11,680
Common features set-1 + Power On/Off + Cumulative MD	0.5s	Elite 444	₹ 13,205
Common features set-2 for Elite 445 to Elite 448: VAF + THD (V & I), Imp-Exp kWh & kVAh + PF + kW + THD (Power) + RPM + kVAR + kVA + Ph. Angle + Power On/Off + Cumulative MD			
Common features set-2 + Quadrant wise kVARh	0.5s	Elite 445	₹ 13,500
Common features set-2 + Imp-Exp kVARh	0.5s	Elite 446	₹ 14,415
Common features set-2 + Quadrant wise kVARh + Min/Max Value	0.5s	Elite 447	₹ 14,870
Common features set-2 + Imp-Exp kVARh + Min/Max Value	0.5s	Elite 448	₹ 15,475
VAF + THD (V & I), Fwd kWh/kVAh	0.2s	Elite 441	₹ 15,955
VAF + THD (V & I), Fwd kWh/kVAh + PF + kW + THD (Power) + RPM	0.2s	Elite 442	₹ 18,835
Common features set-1 for Elite 443 and Elite 444: VAF + THD (V & I), Fwd kWh/kVAh + PF + kW + THD (Power) + RPM + kVAR + kVA + Fwd kVARh + Ph. Angle			
Common features set-1 + Power On/Off	0.2s	Elite 443	₹ 21,055
Common features set-1 + Power On/Off + Cumulative MD	0.2s	Elite 444	₹ 25,525
Common features set-2 for Elite 445 to Elite 448: VAF + THD (V & I), Imp-Exp kWh & kVAh + PF + kW + THD (Power) + RPM + kVAR + kVA + Ph. Angle + Power On/Off + Cumulative MD			
Common features set-2 + Quadrant wise kVARh	0.2s	Elite 445	₹ 29,070
Common features set-2 + Imp-Exp kVARh	0.2s	Elite 446	₹ 34,030
Common features set-2 + Quadrant wise kVARh + Min/Max Value	0.2s	Elite 447	₹ 39,705
Common features set-2 + Imp-Exp kVARh + Min/Max Value	0.2s	Elite 448	₹ 41,120
Elite 440 series with accuracy class 1			On Request

MFM, 4 Line backlit LCD Display, RS-485 Modbus, Dim 96x96mm	Acc. class	Model*	New list price
Plug in type Module - 2 Nos. Digital Pulse Input / Output			₹ 6,785
Plug in type Module - Analogue Output 4 Nos.			₹ 6,785
Plug in type Module - Ethernet Port			₹ 7,260
Maxchek 400, Demand Controller, Class 0.5s	0.5s	Maxcheck 400	₹ 53,415
Maxchek 400, Demand Controller, Class 0.2s	0.2s	Maxcheck 400	₹ 90,370

* For catcode details, please get in touch with Sales representative / Branch office.

Elite 500

Modbus / BACnet / PROFINET / IEC 61850 protocol




Graphical display



Support Rogowski coil



Hot pluggable communication modules



Features

1. Advanced power monitoring device along with multiple communication - Modbus / PROFINET / BACnet / IEC61850 protocol support
2. 16 MB storage with dual logger
3. Dual communication, three modules can work simultaneously
4. PIPO / ethernet add-on modules, alerts and events
5. IEC 62052-11, IEC 62053-22, IEC 62053-24, IEC61557-12, IEC 62053-31, IEC 60529, IEC 61010-1, IEC 61010-2-030, IEC 61326-1, IS14697, CE, UKCA

Specifications

1. Connection type: LV 3P4W / HV 3P4W / 1CT 3PT / LV 3CT / HV 3P3W / 3CT2PT / 2CT2PT / 1P2W
2. Measurement voltage range: 35 V to 500 V max (L-L), 20 V to 300 V max (L-N)
3. Measurement current range: 10mA - 6 A (configurable) (For conventional CT), 5% Ipr - Ipr (Ipr-1000 A or 4000 A) (For Rogowski coil)
4. Aux. supply range: Range: 48-300VDC or 85-300VAC
5. Accuracy: 0.5s / 0.2s (for conventional CT), 0.5s (For Rogowski coil)

Notes:

- SW-1: Ind harmonics up to 15th order
- SW-2: Ind harmonics up to 15th order, PQ parameters*
- SW-3: Ind harmonics up to 31st order
- SW-4: Ind harmonics up to 31st order, PQ parameters*
- “*PQ Parameters – Sag, swell, interruption, TDD, K-factor, Crest factor, TEHD, TOHD, positive, negative and zero sequence components”

Elite 500 price list

Description	Class	SW Ver.	Catcode	New list price
-------------	-------	---------	---------	----------------

Common features set for conventional and Rogowski variant

VAF, PF, kW, kVAR, kVA, Imp-Exp kWh, Imp-Exp kVAh & Imp-Exp kVArh, Individual Harmonics, THD (V, I & P), RPM, Ph. Angle, Power On/Off, CMD, min-max, power quality parameters including sag, swell, TDD, K-factor, Crest factor

Elite 500 conventional model

Modbus RTU over RS-485+ Harmonic up to 15th	0.2s	SW-1	E500C-2102	₹ 56,765
Modbus RTU over RS-485+ Harmonic up to 15th+ PQ parameters	0.2s	SW-2	E500C-2202	₹ 66,300
Modbus RTU over RS-485+ Harmonic up to 31st	0.2s	SW-3	E500C-2302	₹ 75,475
Modbus RTU over RS-485+ Harmonic up to 31st+ PQ parameters	0.2s	SW-4	E500C-2402	₹ 88,350
Modbus RTU over RS-485+ Harmonic up to 15th	0.5s	SW-1	E500C-5102	₹ 36,055
Modbus RTU over RS-485+ Harmonic up to 15th+ PQ parameters	0.5s	SW-2	E500C-5202	₹ 43,500
Modbus RTU over RS-485 + Harmonic up to 31st	0.5s	SW-3	E500C-5302	₹ 51,405
Modbus RTU over RS-485 + Harmonic up to 31st + PQ parameters	0.5s	SW-4	E500C-5402	₹ 67,785

Elite 500 along with Rogowski coil

Elite 500, Modbus RTU over RS-485+ Harmonic up to 15th with Rogowski coil Ip 3x1000A, 70mm dia	0.5s	SW-1	E500R-51C2	₹ 74,200
Elite 500 ,Modbus RTU over RS-485+ Harmonic up to 15th+ PQ parameters with Rogowski coil Ip 3x1000A, 70mm dia	0.5s	SW-2	E500R-52C2	₹ 81,650
Elite 500,, Modbus RTU over RS-485+ Harmonic up to 31st with Rogowski coil Ip 3x1000A, 70mm dia	0.5s	SW-3	E500R-53C2	₹ 89,550
Elite 500, Modbus RTU over RS-485+ Harmonic up to 31st+ PQ parameters with Rogowski coil Ip 3x1000A, 70mm dia	0.5s	SW-4	E500R-54C2	₹ 1,05,930
Elite 500, Modbus RTU over RS-485+ Harmonic up to 15th with Rogowski coil Ip 3x1000A, 140mm dia	0.5s	SW-1	E500R-51D2	₹ 84,035
Elite 500, Modbus RTU over RS-485+ Harmonic up to 15th+ PQ parameters with Rogowski coil Ip 3x1000A, 140mm dia	0.5s	SW-2	E500R-52D2	₹ 97,295
Elite 500, Modbus RTU over RS-485+ Harmonic up to 31st with Rogowski coil Ip 3x1000A, 140mm dia	0.5s	SW-3	E500R-53D2	₹ 91,935
Elite 500, Modbus RTU over RS-485+ Harmonic up to 31st+ PQ parameters with Rogowski coil Ip 3x1000A, 140mm dia	0.5s	SW-4	E500R-54D2	₹ 1,08,315
Elite 500,Modbus RTU over RS-485+ Harmonic up to 15th with Rogowski coil Ip 3x4000A, 140mm dia	0.5s	SW-1	E500R-51E2	₹ 81,345
Elite 500, Modbus RTU over RS-485+ Harmonic up to 15th+ PQ parameters with Rogowski coil Ip 3x4000A, 140mm dia	0.5s	SW-2	E500R-52E2	₹ 88,795
Elite 500, Modbus RTU over RS-485+ Harmonic up to 31st with Rogowski coil Ip 3x4000A, 140mm dia	0.5s	SW-3	E500R-53E2	₹ 96,695

Elite 500, Modbus RTU over RS-485+ Harmonic up to 31st+ PQ parameters with Rogowski coil Ip 3x4000A, 140mm dia	0.5s	SW-4	E500R-54E2	₹ 1,13,075
Elite 500, Modbus RTU over RS-485+ Harmonic up to 15th with Rogowski coil Ip 3x4000A, 200mm dia	0.5s	SW-1	E500R-51F2	₹ 84,330
Elite 500, Modbus RTU over RS-485+ Harmonic up to 15th+ PQ parameters with Rogowski coil Ip 3x4000A, 200mm dia	0.5s	SW-2	E500R-52F2	₹ 91,780
Elite 500, Modbus RTU over RS-485+ Harmonic up to 31st with Rogowski coil Ip 3x4000A, 200mm dia	0.5s	SW-3	E500R-53F2	₹ 99,680
Elite 500, Modbus RTU over RS-485+ Harmonic up to 31st+ PQ parameters with Rogowski coil Ip 3x4000A, 200mm dia	0.5s	SW-4	E500R-54F2	₹ 1,16,060
Description	Class	SW Ver.	Catcode	New list price
Communication modules				
Communication module - M1, Modbus TCP IP, Stand alone	-	-	E500M-1012	₹ 9,685
Communication module - M1, Modbus TCP IP, Gateway	-	-	E500M-1022	₹ 15,335
Communication module - M1, BACnet IP	-	-	E500M-1032	₹ 20,775
Communication module - M1, PROFINET,	-	-	E500M-1042	₹ 20,410
Communication module - M1, IEC 61850,	-	-	E500M-1052	₹ 1,02,770
I/O module - M2, 2 config pulse I/O, 1 pulse O/P, 1 relay O/P	-	-	E500M-2012	₹ 18,385
I/O module - M2, 3 relay output	-	-	E500M-2022	₹ 13,175
I/O module - M3, 4 Analogue output, 0-20mA	-	-	E500M-3012	₹ 13,175

Position Indicators

Simulation working state indicators



Easy-to-fit



Low power consumption



High accuracy



Features

1. Position indicators are available with indicator discs in bar, angle and disconnector
2. Designs available in “Amber-White” and “Red-Green” formats
3. High precision disc movement, low power consumption
4. Available in AC and DC variants
5. EN 61010-1, IEC 51, EN 50081-1, EN 50081-2, EN50082-1, EN50082-1, IEC 473

Specifications

1. Range of sizes: 24x24, 25x25, 36x36, Ø 29 and Ø 39
2. Wide operating voltage range 24-230 AC / DC
3. Power consumption (AC Aux.): 0.4 / 1.4 VA
4. Power consumption (DC Aux.): 0.4 / 1.4 W
5. Polycarbonate enclosure (IP 54 rated)

PI / PR price list

Position / Semaphore Indicator	Catcode	New list price
PI24, 24x24 mm square, Bar -1	106510-050	₹ 1,705
PI24, 24x24 mm square, Bar -2	106510-051	₹ 1,705
PI25, 25x25 mm square, Bar -1	106520-050	₹ 1,705
PI25, 25x25 mm square, Bar -2	106520-051	₹ 1,705
PI25, 25x25 mm square, Disconnector -5	106520-054	₹ 1,705
PI29, 29 mm circular diameter	106530-050	₹ 1,705
PI36, 36x36 mm square, Bar -1	106540-050	₹ 1,850
PI36, 36x36 mm square, Disconnector -5	106540-054	₹ 1,850
PI39, 39 mm circular diameter	106550-050	₹ 1,850

Transducer

Single and multi-function transducers




USB
programming



Response time
~100-220 ms



Compact size



Features

1. Transducer range: Single-phase and three-phase (single function and multifunction)
2. Load-independent, galvanically-isolated analogue outputs (DC mA or V)
3. Option of 2 / 4 analogue configurable outputs, ConfigView software for onsite configuration using Micro-USB cable
4. Output curves: Linear, live-zero, compressed upper, compressed lower, bipolar (3Ph Transducer only)
5. IEC 60688, IEC 61010-1, IEC 61010-2-30, IEC 61326-1, DIN 50022, Class 1, 0.5, 0.2

Specifications

1. Voltage: Nominal (U_n) 57.7 to 415 V, measuring 0 to 130 % of U_n (up to 500 V) 3x100 to 415 V L-L (3P-3W), 3x57.5 to 240V L-N (3P-4W)
2. Current: Nominal (I_n) 1 A to 5 A, Measuring 0 to 150% I_n
3. DC current: -20-0-(+20) mA directly, or -300-0-(+300) mV through shunt
4. Frequency: 45 Hz to 55 Hz or 55 Hz to 65 Hz
5. Aux. supply: High aux: 80 to 300 V AC / DC and low aux: 24 to 80 V DC

Single-phase, transducer, output 2

1ph Single Function Transducer, 2 Output, Type mA or V	Catcode	New list price
AC Voltage Transducer, Accuracy Class 0.5	PT1 XX1-151	₹ 5,100
AC Voltage Transducer, Accuracy Class 0.5, Self Powered	PT1 8X1-151	₹ 5,100
AC Current Transducer, Accuracy Class 0.5	PT1 XX1-155	₹ 5,170
Frequency Transducer, Accuracy Class 0.2	PT1 XX1-123	₹ 6,575
AC Active Power Transducer, Accuracy Class 0.5	PT1 XX1-156	₹ 7,660
DC Voltage Transducer, Accuracy Class 0.5	PT1 XX1-151	₹ 5,100
DC Current Transducer, Accuracy Class 0.5	PT1 X12-152	₹ 4,125

1ph Single Function Transducer, 2 Output, Type mA or V	Catcode	New list price
AC Voltage Transducer, Accuracy Class 0.2	PT1 XX1-121	₹ 5,170
AC Voltage Transducer, Accuracy Class 0.2, Self Powered	PT1 8X1-121	₹ 5,170
AC Current Transducer, Accuracy Class 0.2	PT1 XX1-125	₹ 5,100
AC Active Power Transducer, Accuracy Class 0.2	PT1 XX1-126	₹ 8,020
DC Voltage Transducer, Accuracy Class 0.2	PT1 XX1-121	₹ 5,170
DC Current Transducer, Accuracy Class 0.2	PT1 X12-122	₹ 5,100
Resistance Transducer, Output in mA, Accuracy Class 0.5	PT1 X14-150	₹ 8,820
Resistance Transducer, Output in mA, Accuracy Class 0.2	PT1 X14-120	₹ 8,820
1ph Multi-Function Transducer, 2 Output, Type mA or V	Catcode	New list price
1ph Multifunction Transducer, Accuracy Class 0.5, Output 2	PT1 XX1-15F	₹ 7,120
1ph Multifunction Transducer, Accuracy Class 0.2, Output 2	PT1 XX1-12F	₹ 7,835

Three-phase transducer, output 2 / 4

3Ph Single Function Transducer, 2/4 Output, Type mA or V	Catcode	New list price
AC Voltage Transducer, Accuracy Class 0.5, Output 2	PT3 X23-151	₹ 9,975
AC Current Transducer, Accuracy Class 0.5, Output 2	PT3 X23-155	₹ 9,975
AC Voltage Transducer, Accuracy Class 0.2, Output 2	PT3 X23-121	₹ 9,975
AC Current Transducer, Accuracy Class 0.2, Output 2	PT3 X23-125	₹ 9,975
AC Active Power Transducer, Accuracy Class 0.5, Output 2	PT3 X23-156	₹ 14,260
AC Reactive Power Transducer, Accuracy Class 0.5, Output 2	PT3 X23-157	₹ 14,260
AC Power Factor Transducer, Accuracy Class 0.5, Output 2	PT3 X23-158	₹ 14,260
AC Active Power Transducer, Accuracy Class 0.2, Output 2	PT3 X23-126	₹ 14,260
AC Reactive Power Transducer, Accuracy Class 0.2, Output 2	PT3 X23-127	₹ 14,260
AC Power Factor Transducer, Accuracy Class 0.2, Output 2	PT3 X23-128	₹ 14,260
AC Voltage Transducer, Accuracy Class 0.5, Output 4	PT3 X43-151	₹ 11,215
AC Current Transducer, Accuracy Class 0.5, Output 4	PT3 X43-155	₹ 11,215
AC Voltage Transducer, Accuracy Class 0.2, Output 4	PT3 X43-121	₹ 14,260
AC Current Transducer, Accuracy Class 0.2, Output 4	PT3 X43-125	₹ 14,260
AC Active Power Transducer, Accuracy Class 0.5, Output 4	PT3 X43-156	₹ 17,460
AC Reactive Power Transducer, Accuracy Class 0.5, Output 4	PT3 X43-157	₹ 17,460

3Ph Single Function Transducer, 2/4 Output, Type mA or V	Catcode	New list price
AC Power Factor Transducer, Accuracy Class 0.5, Output 4	PT3 X43-158	₹ 14,260
AC Active Power Transducer, Accuracy Class 0.2, Output 4	PT3 X43-126	₹ 20,025
AC Reactive Power Transducer, Accuracy Class 0.2, Output 4	PT3 X43-127	₹ 20,025
AC Power Factor Transducer, Accuracy Class 0.2, Output 4	PT3 X43-128	₹ 20,025


3Ph Multi-Function Transducer, 2/4 Output, Type mA or V	Catcode	New list price
3ph Multifunction Transducer, Accuracy Class 0.5, Output 2	PT3 X23-15F	₹ 29,180
3ph Multifunction Transducer, Accuracy Class 0.5, Output 4	PT3 X43-15F	₹ 34,480
3ph Multifunction Transducer, Accuracy Class 0.2, Output 2	PT3 X23-12F	₹ 37,010
3ph Multifunction Transducer, Accuracy Class 0.2, Output 4	PT3 X43-12F	₹ 42,705

Ordering key

PT3 XX3-1YY

Example


PT3 623-126
where high auxiliary (6),
output nos. (2), accuracy class (2)
function active power (6)



PT1 XXX-1YY

Example

PT1 611-126
where high auxiliary (6),
mA output (1), accuracy class 0.2,
function (6)



*Self powered is voltage transducer only.
** Default means AC / DC voltage, AC current
#Current DC available only in
HW configuration: DC Current, output: mA

Analogue panel instruments

Reliable monitoring for control and instrumentation systems




240
degree



Scale
interchangeable



Compact size



Features

1. Comprehensive range of moving-iron and moving-coil meters
2. Voltage, current, frequency, power (active and reactive), PF, maximum demand (current)
3. Mounting positions: Horizontal, vertical or angled, adjustable red markers (quadrant scales)
4. Range of scales: Quadrant (90°), circular (240°) and edgewise
5. Range of panel sizes: 48x48, 72x72 and 96x96 mm

Specifications

1. Moving iron (AC): Voltage 6 V to 800 V, current 250 mA to 60 A
2. Moving coil (DC): Voltage 60 mV to 600 V, Current 100 μ A to 1 A
3. Moving coil (AC): Voltage 6 V to 600 V, Current 400 mA to 1A / 5A
4. Frequency meter: 46-54 Hz, 56-64 Hz or 375-425 Hz
5. Temperature range: -25°C to +50°C

Meaning of terms (IQ, CQ etc.)

I: Moving iron

R: Meter with rectifier

C: Moving coil

B: Bimetal meters for demand

Q: Quadrant scale (90 degree)

L: Long range meter

Secure - Moving iron AC meters

Type	Description	Size(mm)	Accuracy class	Scale	Model	New list price
Voltmeter	6, 10, 15, 25, 40, 60, 100, 150, 250V	48x48	1.5	90°	IQ	₹ 980
Voltmeter	6, 10, 15, 25, 40, 60, 100, 150, 250V	72x72	1.5	90°	IQ	₹ 895
Voltmeter	6, 10, 15, 25, 40, 60, 100, 150, 250V	96x96	1.5	90°	IQ	₹ 1,025
Voltmeter	400, 500, 600V	48x48	1.5	90°	IQ	₹ 1,145
Voltmeter	400, 500, 600V	72x72	1.5	90°	IQ	₹ 980
Voltmeter	400, 500, 600V	96x96	1.5	90°	IQ	₹ 1,125
Voltmeter	PT Operated upto 800V (Non Standard)	48x48	1.5	90°	IQ	₹ 1,310
Voltmeter	PT Operated upto 800V (Non Standard)	72x72	1.5	90°	IQ	₹ 1,145
Voltmeter	PT Operated upto 800V (Non Standard)	96x96	1.5	90°	IQ	₹ 1,295
Ammeter	250, 400, 600mA	48x48	1.5	90°	IQ	₹ 955
Ammeter	250, 400, 600mA	72x72	1.5	90°	IQ	₹ 875
Ammeter	250, 400, 600mA	96x96	1.5	90°	IQ	₹ 955
Ammeter	1, 1.5, 2.5, 4, 6, 10, 15, 25, CT Operated 5A/1A Secondary	48x48	1.5	90°	IQ	₹ 955
Ammeter	1, 1.5, 2.5, 4, 6, 10, 15, 25, CT Operated 5A/1A Secondary	72x72	1.5	90°	IQ	₹ 850
Ammeter	1, 1.5, 2.5, 4, 6, 10, 15, 25, CT Operated 5A/1A Secondary	96x96	1.5	90°	IQ	₹ 895
Ammeter	40,60A	48x48	1.5	90°	IQ	₹ 1,345
Ammeter	40,60A	72x72	1.5	90°	IQ	₹ 1,025
Ammeter	40,60A	96x96	1.5	90°	IQ	₹ 1,090

Secure - Moving coil DC meters

Type	Description	Size(mm)	Accuracy class	Scale	Model	New list price
Voltmeter	60, 100, 150, 250, 400, 600mV	48x48	1.5	90°	CQ	₹ 1,500
Voltmeter	60, 100, 150, 250, 400, 600mV	72x72	1.5	90°	CQ	₹ 1,305
Voltmeter	60, 100, 150, 250, 400, 600mV	96x96	1.5	90°	CQ	₹ 1,415
Voltmeter	1, 1.5, 2.5, 4, 6, 10, 15, 25V	48x48	1.5	90°	CQ	₹ 1,500
Voltmeter	1, 1.5, 2.5, 4, 6, 10, 15, 25V	72x72	1.5	90°	CQ	₹ 1,305
Type	Description	Size(mm)	Accuracy class	Scale	Model	New list price

Voltmeter	1, 1.5, 2.5, 4, 6, 10, 15, 25V	96x96	1.5	90°	CQ	₹ 1,540
Voltmeter	40, 60, 100, 150, 250V	48x48	1.5	90°	CQ	₹ 1,710
Voltmeter	40, 60, 100, 150, 250V	72x72	1.5	90°	CQ	₹ 1,500
Voltmeter	40, 60, 100, 150, 250V	96x96	1.5	90°	CQ	₹ 1,605
Voltmeter	400, 500, 600V	48x48	1.5	90°	CQ	₹ 1,860
Voltmeter	400, 500, 600V	72x72	1.5	90°	CQ	₹ 1,520
Voltmeter	400, 500, 600V	96x96	1.5	90°	CQ	₹ 1,760
Ammeter	15**, 25**, 40**, 50*, 60*, 75uA	48x48	2.5	90°	CQ	₹ 1,920
Ammeter	15**, 25**, 40**, 50*, 60*, 75uA	72x72	2.5	90°	CQ	₹ 1,775
Ammeter	15**, 25**, 40**, 50*, 60*, 75uA	96x96	2.5	90°	CQ	₹ 1,965
Ammeter	100, 150, 250, 400, 600uA	48x48	2.5	90°	CQ	₹ 1,695
Ammeter	100, 150, 250, 400, 600uA	72x72	2.5	90°	CQ	₹ 1,540
Ammeter	100, 150, 250, 400, 600uA	96x96	2.5	90°	CQ	₹ 1,605
Ammeter	1, 1.5, 2.5, 4, 6, 10, 15, 20, 25, 40, 60, 100, 150, 250, 400, 600mA	48x48	1.5	90°	CQ	₹ 1,435
Ammeter	1, 1.5, 2.5, 4, 6, 10, 15, 20, 25, 40, 60, 100, 150, 250, 400, 600mA	72x72	1.5	90°	CQ	₹ 1,305
Ammeter	1, 1.5, 2.5, 4, 6, 10, 15, 20, 25, 40, 60, 100, 150, 250, 400, 600mA	96x96	1.5	90°	CQ	₹ 1,415
Ammeter	4-20mA	48x48	1.5	90°	CQ	₹ 1,670
Ammeter	4-20mA	72x72	1.5	90°	CQ	₹ 1,555
Ammeter	4-20mA	96x96	1.5	90°	CQ	₹ 1,655

Secure - Moving coil AC meters with rectifier

Type	Description	Size(mm)	Accuracy class	Scale	Model	New list price
Voltmeter	6, 10, 15, 25, 40, 60, 100, 150, 250, 400, 500, 600V	48x48	1.5	90°	CQR	₹ 2,375
Voltmeter	6, 10, 15, 25, 40, 60, 100, 150, 250, 400, 500, 600V	72x72	1.5	90°	CQR	₹ 2,020
Type	Description	Size(mm)	Accuracy class	Scale	Model	New list price
Voltmeter	6, 10, 15, 25, 40, 60, 100, 150, 250, 400, 500, 600V	96x96	1.5	90°	CQR	₹ 2,295
Voltmeter	PT Operated upto 600V (Non Standard), x/110V	48x48	1.5	90°	CQR	₹ 2,765

Voltmeter	PT Operated upto 600V (Non Standard), x/110V	72x72	1.5	90°	CQR	₹ 2,335
Voltmeter	PT Operated upto 600V (Non Standard), x/110V	96x96	1.5	90°	CQR	₹ 2,665
Ammeter	1, 1.5, 2.5, 4, 6, 10, 15, 25, 40, 60, 100mA	48x48	1.5	90°	CQR	₹ 1,930
Ammeter	1, 1.5, 2.5, 4, 6, 10, 15, 25, 40, 60, 100mA	72x72	1.5	90°	CQR	₹ 1,795
Ammeter	1, 1.5, 2.5, 4, 6, 10, 15, 25, 40, 60, 100mA	96x96	1.5	90°	CQR	₹ 1,915
Ammeter	150, 250, 400, 600mA	48x48	1.5	90°	CQR	₹ 2,160
Ammeter	150, 250, 400, 600mA	72x72	1.5	90°	CQR	₹ 2,020
Ammeter	150, 250, 400, 600mA	96x96	1.5	90°	CQR	₹ 2,125
Ammeter	1, 5A	72x72	1.5	90°	CQR	₹ 2,245
Ammeter	1, 5A	96x96	1.5	90°	CQR	₹ 2,375
Ammeter	6, 10A	96x96	1.5	90°	CQR	₹ 2,520
Ammeter	Ammeter upto 10A (Non Standard)- x/1A , x/5A	96x96	1.5	90°	CQR	₹ 2,665
Frequency Meter	46-54Hz, 56-64 Hz	48x48	1.5	90°	FQ	₹ 2,020
Frequency Meter	46-54Hz, 56-64 Hz	72x72	1.5	90°	FQ	₹ 1,915
Frequency Meter	46-54Hz, 56-64 Hz	96x96	1.5	90°	FQ	₹ 2,075
Power Factor Meter	3Ph 3W balanced load, 0.5 lead-1-0.5 Lag (110V/230V), 1A/5A	96x96	1.5	90°	PFQ23	₹ 3,195

Type	Description	Size(mm)	Accuracy class	Scale	Model	New list price
Active Power (Watt) Meter	1 Element 1Ph 2W Balanced Load	96x96	1.5	90°	PQ13	₹ 3,405
Active Power (Watt) Meter	1 Element 3Ph 3W Balanced Load	96x96	1.5	90°	PQ13	₹ 4,075
Active Power (Watt) Meter	2 Element 3Ph 3W Unbalanced Load	96x96	1.5	90°	PQ23	₹ 5,410
Active Power (Watt) Meter	1 Element 3Ph 4W Balanced Load	96x96	1.5	90°	PQ14	₹ 4,455
Active Power (Watt) Meter	3 Element 3Ph 4W Unbalanced Load w/o Neutral	96x96	1.5	90°	PQ33	₹ 6,700

Type	Description	Size(mm)	Accuracy class	Scale	Model	New list price
Reactive Power (Var) Meter	1 Element 3Ph 3W Balanced Load	96x96	1.5	90°	QQ13	₹ 4,075
Reactive Power (Var) Meter	2 Element 3Ph 3W Unbalanced Load	96x96	1.5	90°	QQ23	₹ 5,410
Reactive Power (Var) Meter	3 Element 3Ph 4W Unbalanced Load	96x96	1.5	90°	QQ33	₹ 6,700

Maximum demand ammeters - QB / IQB, accuracy class 3 for MD and 1.5 for current (instantious)

Type	Description	Size(mm)	Accuracy class	Scale	Model	New list price
Max Demand Ammeter	.../ 1A/5A/ (15 minutes)	48x48	1.5	90°	QB	₹ 3,430
Max Demand Ammeter	.../ 1A/5A/ (15 minutes)	72x72	1.5	90°	QB	₹ 3,060
Max Demand Ammeter	.../ 1A/5A/ (15 minutes)	96x96	1.5	90°	QB	₹ 2,905
Max Demand Ammeter	.../ 1A/5A/ (15 minutes)	72x72	1.5	90°	IQB	₹ 3,795
Max Demand Ammeter	.../ 1A/5A/ (15 minutes)	96x96	1.5	90°	IQB	₹ 3,540

Secure - Moving coil DC meters

Type	Description	Size(mm)	Accuracy class	Scale	Model	New list price
Voltmeter	60, 75, 100, 150, 250, 400, 600mV	72x72	1.5	240°	CL	₹ 2,470
Voltmeter	60, 75, 100, 150, 250, 400, 600mV	96x96	1.5	240°	CL	₹ 2,610
Voltmeter	1, 1.5, 2.5, 4, 5, 6, 10, 15, 25, 30, 40, 60, 100V	48x48	1.5	240°	CL	₹ 2,675
Voltmeter	1, 1.5, 2.5, 4, 5, 6, 10, 15, 25, 30, 40, 50, 60, 75, 100V	72x72	1.5	240°	CL	₹ 2,270
Voltmeter	1, 1.5, 2.5, 4, 5, 6, 10, 15, 25, 30, 40, 60, 100V	96x96	1.5	240°	CL	₹ 2,610
Voltmeter	150,250, 400, 500, 600V	72x72	1.5	240°	CL	₹ 2,470
Voltmeter	150,250, 400, 500, 600V	96x96	1.5	240°	CL	₹ 2,610
Ammeter	500, 600uA	72x72	1.5	240°	CL	₹ 2,360
Ammeter	500, 600uA	96x96	1.5	240°	CL	₹ 2,510
Ammeter	1, 1.5, 2.5, 4, 6, 10, 15, 20, 25, 40, 60, 100, 150, 250, 400, 600mA	72x72	1.5	240°	CL	₹ 2,260
Ammeter	1, 1.5, 2.5, 4, 6, 10, 15, 20, 25, 40, 60, 100, 150, 250, 400, 600mA	96x96	1.5	240°	CL	₹ 2,405
Ammeter	1, 1.5, 2.5, 4, 6, 10, 15, 25A	72x72	1.5	240°	CL	₹ 2,260
Ammeter	1, 1.5, 2.5, 4, 6, 10, 15, 25A	96x96	1.5	240°	CL	₹ 2,405
Ammeter	4-20mA	48x48	1.5	240°	CL	₹ 2,810
Ammeter	4-20mA	72x72	1.5	240°	CL	₹ 2,555
Ammeter	4-20mA	96x96	1.5	240°	CL	₹ 2,675

Secure - Moving coil AC meters with rectifier

Type	Description	Size(mm)	Accuracy class	Scale	Model	New list price
Voltmeter	6, 10, 15, 25, 40, 60,100, 150, 250, 400, 500,600V, X/110V	48x48	1.5	240°	CLR	₹ 2,870
Voltmeter	6, 10, 15, 25, 40, 60,100, 150, 250, 400, 500,600V, X/110V	72x72	1.5	240°	CLR	₹ 2,865
Voltmeter	6, 10, 15, 25, 40, 60,100, 150, 250, 400, 500,600V, X/110V	96x96	1.5	240°	CLR	₹ 3,040
Voltmeter	PT Operated upto 600V (Non Standard)- x/110V	72x72	1.5	240°	CLR	₹ 3,060
Voltmeter	PT Operated upto 600V (Non Standard)- x/110V	96x96	1.5	240°	CLR	₹ 3,215
Ammeter	1A & 5A CT Operated, 1A, 6A, 1.2A, 1mA	48x48	1.5	240°	CLR	₹ 3,110
Ammeter	1A & 5A CT Operated, 1A, 6A, 1.2A, 1mA	72x72	1.5	240°	CLR	₹ 3,245
Ammeter	1A & 5A CT Operated, 1A, 6A, 1.2A, 1mA	96x96	1.5	240°	CLR	₹ 3,695
Frequency Meters	46-54Hz, 56-64Hz (with Built In Transducer)	96x96	1.5	240°	FL	₹ 3,700
Power Factor Meter	1Ph & 3Ph balanced load (with Built In Transducer)	96x96	1.5	240°	PFL12	₹ 5,885
Active Power (Watt) Meter	1 Element 1ph Load	96x96	1.5	240°	PL12	₹ 7,055
Active Power (Watt) Meter	1 Element 3Ph 3W Balanced Load	96x96	1.5	240°	PL13	₹ 6,750
Active Power (Watt) Meter	2 Element 3Ph 3W Unbalanced Load	96x96	1.5	240°	PL23	₹ 9,965
Active Power (Watt) Meter	1 Element 3Ph 4W Balanced Load	96x96	1.5	240°	PL14	₹ 7,055
Active Power (Watt) Meter	3 Element 3Ph 4W Unbalanced Load w/o Neutral	96x96	1.5	240°	PL33	₹ 9,115
Reactive Power (Var) Meter	1 Element 3Ph 3W Balanced Load	96x96	1.5	240°	QL13	₹ 6,750
Reactive Power (Var) Meter	2 Element 3Ph 3W Unbalanced Load	96x96	1.5	240°	QL23	₹ 9,965
Reactive Power (Var) Meter	3 Element 3Ph 4W Unbalanced Load	96x96	1.5	240°	QL33	₹ 9,115

Additional charges applicable over meter price for 90 deg / 240 deg deflection meters

Standard Scale [e.g. 300/5A (If separate scale is required)]	₹ 60
Non-Standard Scale [e.g. RPM, m/min, %, BAR etc. (If separate scale is required)]	₹ 90
Customised Scale [Like rpm, m/min., %, BAR etc. This is a surcharge for non-standard scale along with the meter price]	₹ 75
Ammeter (x5) or (x6) Overload (for MI meters only)	₹ 60
Centre zero (for PQ, CL, CQ & QQ meters only)	₹ 60
Additional numbering / marking / red mark	₹ 70
Coloured sectors (red/green) per sector	₹ 70
Calibration at position other than perpendicular	₹ 70
Accuracy class 1	₹ 70

Spares

Glass (48,72,96)	₹ 50
Glass with zero adjustment nob (48,72,96)	₹ 60
MDI glass with zero adjustment knob	₹ 95
Clamp-strap with screw (set of 2)	₹ 50
Bezel / black frame	₹ 70
Full back cover as per IP-20	₹ 80

LV CTs

Low voltage current transformers



Easy-to-fit



Wide range



High accuracy



Features

1. Comprehensive range of reliable and accurate current transformers (CTs)
2. Range: Primary 30A - 4000A, Secondary 1A / 5A
3. Second terminal for shorting of CT before disconnection
4. Insulation class-E
5. IEC 61869-1&2 / IS 16227 part 1 and 2

Specifications

1. Rated primary rating: 30 A to 4000 A
2. Class of accuracy: 0.2, 0.2S, 0.5, 0.5S and 1.0
3. System voltage: 720V maximum
4. Operating frequency: 50 Hz / 60 Hz
5. Rated burden (VA): 1, 1.25, 1.5, 2.5, 3.75, 5, 7.5, 10, 12.5, 15, 20, 30, 45, 60

Length: Front view length

Depth: Side view length

ID: Internal diameter (width in case of bars)

SML model: MCT45-14(40)

Primary A	Length	ID	Depth	VA	Accuracy class	Catcode	New list price
30	45	14	40	1.0	1.0	A1-003056AA110S2	₹ 910
40	45	14	40	1.0	1.0	A1-004056AA110S2	₹ 890
50	45	14	40	1.5	1.0	A1-005056CA110S2	₹ 570
60	45	14	40	1.5	1.0	A1-006056CA110S2	₹ 570
75	45	14	40	1.5	0.5	A1-007555CA110S2	₹ 600
75	45	14	40	2.5	1.0	A1-007556EA110S2	₹ 575
80	45	14	40	1.5	0.5	A1-008055CA110S2	₹ 600
80	45	14	40	2.5	1.0	A1-008056EA110S2	₹ 575
100	45	14	40	1.5	0.5	A1-010055CA110S2	₹ 605
100	45	14	40	3.75	1.0	A1-010056FA110S2	₹ 600
120	45	14	40	2.5	0.5	A1-012055EA110S2	₹ 615
120	45	14	40	3.75	1.0	A1-012056FA110S2	₹ 600
125	45	14	40	2.5	0.5	A1-012555EA110S2	₹ 615
125	45	14	40	3.75	1.0	A1-012556FA110S2	₹ 600
150	45	14	40	2.5	0.5	A1-015055EA110S2	₹ 715
150	45	14	40	5.0	1.0	A1-015056GA110S2	₹ 600
200	45	14	40	3.75	0.5	A1-020055FA110S2	₹ 765
200	45	14	40	7.5	1.0	A1-020056IA110S2	₹ 715
250	45	14	40	5.0	0.5	A1-025055GA110S2	₹ 830
250	45	14	40	7.5	1.0	A1-025056IA110S2	₹ 760
300	45	14	40	5.0	0.5	A1-030055GA110S2	₹ 845
300	45	14	40	10	1.0	A1-030056JA110S2	₹ 805

Model: MCT45-21(40)

Primary A	Length	ID	Depth	VA	Accuracy class	Catcode	New list price
50	45	21	40	1.5	1.0	A2-005056CA110S2	₹ 620
60	45	21	40	1.5	1.0	A2-006056CA110S2	₹ 620
75	45	21	40	2.5	1.0	A2-007556EA110S2	₹ 620
80	45	21	40	1.0	0.5	A2-008055AA110S2	₹ 620

Primary A	Length	ID	Depth	VA	Accuracy class	Catcode	New list price
80	45	21	40	2.5	1.0	A2-008056EA110S2	₹ 620
100	45	21	40	1.5	0.5	A2-010055CA110S2	₹ 660
100	45	21	40	3.75	1.0	A2-010056FA110S2	₹ 660
120	45	21	40	1.5	0.5	A2-012055CA110S2	₹ 660
120	45	21	40	3.75	1.0	A2-012056FA110S2	₹ 660
125	45	21	40	2.5	0.5	A2-012555EA110S2	₹ 660
125	45	21	40	3.75	1.0	A2-012556FA110S2	₹ 660
150	45	21	40	2.5	0.5	A2-015055EA110S2	₹ 685
150	45	21	40	5.0	1.0	A2-015056GA110S2	₹ 685
200	45	21	40	3.75	0.5	A2-020055FA110S2	₹ 685
200	45	21	40	5.0	1.0	A2-020056GA110S2	₹ 685
250	45	21	40	5.0	0.5	A2-025055GA110S2	₹ 700
250	45	21	40	5.0	1.0	A2-025056GA110S2	₹ 700
300	45	21	40	5.0	0.5	A2-030055GA110S2	₹ 735
300	45	21	40	5.0	1.0	A2-030056GA110S2	₹ 700
400	45	21	40	5.0	0.5	A2-040055GA110S2	₹ 785
400	45	21	40	5.0	1.0	A2-040056GA110S2	₹ 760

Model: MCT50-21(30)

Primary A	Length	ID	Depth	VA	Accuracy class	Catcode	New list price
50	50	21	30	1.0	1.0	A3-005056AA110S2	₹ 530
60	50	21	30	1.0	1.0	A3-006056AA110S2	₹ 530
75	50	21	30	1.5	1.0	A3-007556CA110S2	₹ 530
80	50	21	30	1.0	0.5	A3-008055AA110S2	₹ 740
80	50	21	30	2.5	1.0	A3-008056EA110S2	₹ 530
100	50	21	30	1.5	0.5	A3-010055CA110S2	₹ 745
100	50	21	30	2.5	1.0	A3-010056EA110S2	₹ 545
120	50	21	30	2.5	0.5	A3-012055EA110S2	₹ 670
120	50	21	30	2.5	1.0	A3-012056EA110S2	₹ 545
125	50	21	30	2.5	0.5	A3-012555EA110S2	₹ 675
125	50	21	30	3.75	1.0	A3-012556FA110S2	₹ 560

Primary A	Length	ID	Depth	VA	Accuracy class	Catcode	New list price
150	50	21	30	2.5	0.5	A3-015055EA110S2	₹ 685
150	50	21	30	5.0	1.0	A3-015056GA110S2	₹ 575
200	50	21	30	3.75	0.5	A3-020055FA110S2	₹ 710
200	50	21	30	5.0	1.0	A3-020056GA110S2	₹ 590
250	50	21	30	5.0	0.5	A3-025055GA110S2	₹ 720
250	50	21	30	5.0	1.0	A3-025056GA110S2	₹ 605
300	50	21	30	5.0	0.5	A3-030055GA110S2	₹ 745
300	50	21	30	7.5	1.0	A3-030056IA110S2	₹ 625
400	50	21	30	5.0	0.5	A3-040055GA110S2	₹ 820
400	50	21	30	7.5	1.0	A3-040056IA110S2	₹ 700

Model: MCT50-30(30)

Primary A	Length	ID	Depth	VA	Accuracy class	Catcode	New list price
75	50	30	30	1.0	1.0	A4-007556AA110S2	₹ 530
80	50	30	30	1.5	1.0	A4-008056CA110S2	₹ 530
100	50	30	30	1.0	0.5	A4-010055AA110S2	₹ 575
100	50	30	30	2.5	1.0	A4-010056EA110S2	₹ 535
120	50	30	30	1.0	0.5	A4-012055AA110S2	₹ 570
120	50	30	30	2.5	1.0	A4-012056EA110S2	₹ 535
125	50	30	30	1.0	0.5	A4-012555AA110S2	₹ 575
125	50	30	30	2.5	1.0	A4-012556EA110S2	₹ 545
150	50	30	30	2.5	0.5	A4-015055EA110S2	₹ 575
150	50	30	30	3.75	1.0	A4-015056FA110S2	₹ 545
200	50	30	30	2.5	0.5	A4-020055EA110S2	₹ 605
200	50	30	30	5.0	1.0	A4-020056GA110S2	₹ 575
250	50	30	30	5.0	0.5	A4-025055GA110S2	₹ 650
250	50	30	30	5.0	1.0	A4-025056GA110S2	₹ 610
300	50	30	30	5.0	0.5	A4-030055GA110S2	₹ 665
300	50	30	30	5.0	1.0	A4-030056GA110S2	₹ 625
400	50	30	30	5.0	0.5	A4-040055GA110S2	₹ 675
400	50	30	30	6.25	1.0	A4-040056HA110S2	₹ 635

Primary A	Length	ID	Depth	VA	Accuracy class	Catcode	New list price
500	50	30	30	5.0	0.5	A4-050055GA110S2	₹ 680
500	50	30	30	6.25	1.0	A4-050056HA110S2	₹ 645
600	50	30	30	5.0	0.5	A4-060055GA110S2	₹ 700
600	50	30	30	7.5	1.0	A4-060056IA110S2	₹ 650

Model: MCT62-30(40)

Primary A	Length	ID	Depth	VA	Accuracy class	Catcode	New list price
50	62	30	40	1.25	1.0	A5-005056BA110S2	₹ 810
60	62	30	40	1.5	1.0	A5-006056CA110S2	₹ 810
75	62	30	40	2.5	1.0	A5-007556EA110S2	₹ 810
80	62	30	40	2.0	1.0	A5-008056DA110S2	₹ 810
100	62	30	40	1.0	0.2S	A5-010052AA110S2	₹ 2,805
100	62	30	40	1.0	0.2	A5-010053AA110S2	₹ 920
100	62	30	40	1.5	0.5	A5-010055CA110S2	₹ 910
100	62	30	40	3.75	1.0	A5-010056FA110S2	₹ 820
120	62	30	40	1.0	0.2S	A5-012052AA110S2	₹ 2,805
120	62	30	40	1.0	0.2	A5-012053AA110S2	₹ 955
120	62	30	40	2.5	0.5	A5-012055EA110S2	₹ 920
120	62	30	40	3.75	1.0	A5-012056FA110S2	₹ 830
125	62	30	40	1.0	0.2S	A5-012552AA110S2	₹ 2,805
125	62	30	40	1.0	0.2	A5-012553AA110S2	₹ 955
125	62	30	40	2.5	0.5	A5-012555EA110S2	₹ 920
125	62	30	40	3.75	1.0	A5-012556FA110S2	₹ 835
150	62	30	40	2.5	0.2S	A5-015052EA110S2	₹ 2,805
150	62	30	40	1.5	0.2	A5-015053CA110S2	₹ 960
150	62	30	40	3.75	0.5	A5-015055FA110S2	₹ 955
150	62	30	40	7.5	1.0	A5-015056IA110S2	₹ 850
200	62	30	40	5.0	0.2S	A5-020052GA110S2	₹ 2,805
200	62	30	40	3.75	0.2	A5-020053FA110S2	₹ 980
200	62	30	40	5.0	0.5	A5-020055GA110S2	₹ 965
200	62	30	40	10	1.0	A5-025056JA110S2	₹ 885

Primary A	Length	ID	Depth	VA	Accuracy class	Catcode	New list price
250	62	30	40	5.0	0.2S	A5-025052GA110S2	₹ 2,835
250	62	30	40	5.0	0.2	A5-025053GA110S2	₹ 1,040
250	62	30	40	5.0	0.5	A5-025055GA110S2	₹ 1,000
250	62	30	40	10	1.0	A5-025056LA110S2	₹ 895
300	62	30	40	5.0	0.2S	A5-030052GA110S2	₹ 2,835
300	62	30	40	3.75	0.2	A5-030053FA110S2	₹ 1,060
300	62	30	40	10	0.5	A5-030055JA110S2	₹ 1,045
300	62	30	40	15	1.0	A5-030056LA110S2	₹ 965
400	62	30	40	5.0	0.2S	A5-040052GA110S2	₹ 2,835
400	62	30	40	10	0.2	A5-040053JA110S2	₹ 1,145
400	62	30	40	12.5	0.5	A5-040055KA110S2	₹ 1,115
400	62	30	40	15	1.0	A5-040056LA110S2	₹ 1,035
500	62	30	40	5.0	0.2S	A5-050052GA110S2	₹ 2,835
500	62	30	40	10	0.2	A5-050053JA110S2	₹ 1,150
500	62	30	40	12.5	0.5	A5-050055KA110S2	₹ 1,135
500	62	30	40	15	1.0	A5-050056LA110S2	₹ 1,040
600	62	30	40	7.5	0.2S	A5-060052IA110S2	₹ 2,835
600	62	30	40	10	0.2	A5-060053JA110S2	₹ 1,215
600	62	30	40	15	0.5	A5-060055LA110S2	₹ 1,170
600	62	30	40	20	1.0	A5-060056MA110S2	₹ 1,075
750	62	30	40	10	0.2S	A5-075052JA110S2	₹ 2,835
750	62	30	40	10	0.2	A5-075053JA110S2	₹ 1,275
750	62	30	40	15	0.5	A5-075055LA110S2	₹ 1,200
750	62	30	40	15	1.0	A5-075056LA110S2	₹ 1,110
800	62	30	40	10	0.2S	A5-080052JA110S2	₹ 2,835
800	62	30	40	10	0.2	A5-080053JA110S2	₹ 1,275
800	62	30	40	15	0.5	A5-080055LA110S2	₹ 1,200
800	62	30	40	15	1.0	A5-080056LA110S2	₹ 1,135

Model: MCT62-40(40)

Primary A	Length	ID	Depth	VA	Accuracy class	Catcode	New list price
100	62	40	40	1.5	1.0	A6-010056CA110S2	₹ 590
120	62	40	40	1.5	1.0	A6-012056CA110S2	₹ 600
125	62	40	40	1.5	1.0	A6-012556CA110S2	₹ 600
150	62	40	40	2.5	1.0	A6-015056EA110S2	₹ 605
200	62	40	40	1.0	0.2s	A6-020052AA110S2	₹ 2,460
200	62	40	40	1.0	0.2	A6-020053AA110S2	₹ 715
200	62	40	40	1.5	0.5	A6-020055CA110S2	₹ 685
200	62	40	40	3.75	1.0	A6-020056FA110S2	₹ 645
250	62	40	40	1.5	0.2s	A6-025052CA110S2	₹ 2,485
250	62	40	40	1.5	0.2	A6-025053CA110S2	₹ 745
250	62	40	40	2.5	0.5	A6-025055EA110S2	₹ 720
250	62	40	40	5.00	1.0	A6-025056GA110S2	₹ 680
300	62	40	40	1.5	0.2s	A6-030052CA110S2	₹ 2,485
300	62	40	40	1.5	0.2	A6-030053CA110S2	₹ 775
300	62	40	40	5.0	0.5	A6-030055GA110S2	₹ 745
300	62	40	40	5.0	1.0	A6-030056GA110S2	₹ 700
400	62	40	40	2.5	0.2s	A6-040052EA110S2	₹ 2,485
400	62	40	40	2.5	0.2	A6-040053EA110S2	₹ 840
400	62	40	40	5.0	0.5	A6-040055GA110S2	₹ 805
400	62	40	40	5.0	1.0	A6-040056GA110S2	₹ 700
500	62	40	40	2.5	0.2s	A6-050052EA110S2	₹ 2,485
500	62	40	40	5.0	0.2	A6-050053GA110S2	₹ 845
500	62	40	40	5.0	0.5	A6-050055GA110S2	₹ 820
500	62	40	40	7.5	1.0	A6-050056IA110S2	₹ 700
600	62	40	40	3.75	0.2s	A6-060052EA110S2	₹ 2,485
600	62	40	40	7.5	0.2	A6-060053IA110S2	₹ 875
600	62	40	40	7.5	0.5	A6-060055IA110S2	₹ 830
600	62	40	40	10	1.0	A6-060056JA110S2	₹ 700
750	62	40	40	5.0	0.2s	A6-075052GA110S2	₹ 2,485
750	62	40	40	10	0.2	A6-075053JA110S2	₹ 895
750	62	40	40	10	0.5	A6-075055JA110S2	₹ 830

Primary A	Length	ID	Depth	VA	Accuracy class	Catcode	New list price
750	62	40	40	10	1.0	A6-075056JA110S2	₹ 700
800	62	40	40	5.0	0.2s	A6-080052GA110S2	₹ 2,485
800	62	40	40	10	0.2	A6-080053JA110S2	₹ 905
800	62	40	40	10	0.5	A6-080055JA110S2	₹ 845
800	62	40	40	10	1.0	A6-080056JA110S2	₹ 700

Model: MCT74-30(45)

Primary A	Length	ID	Depth	VA	Accuracy class	Catcode	New list price
40	74	30	45	1.5	1.0	A7-004056CA110S2	₹ 1,490
50	74	30	45	1.5	1.0	A7-005056CA110S2	₹ 1,495
60	74	30	45	2.5	1.0	A7-006056EA110S2	₹ 1,495
75	74	30	45	1.5	0.5	A7-007555CA110S2	₹ 1,725
75	74	30	45	2.5	1.0	A7-007556EA110S2	₹ 1,495
80	74	30	45	1.5	0.5	A7-008055CA110S2	₹ 1,535
80	74	30	45	3.75	1.0	A7-008056FA110S2	₹ 1,495
100	74	30	45	1.5	0.2s	A7-010052CA110S2	₹ 2,805
100	74	30	45	1.5	0.2	A7-010053CA110S2	₹ 1,570
100	74	30	45	2.5	0.5	A7-010055EA110S2	₹ 1,535
100	74	30	45	5.0	1.0	A7-010056GA110S2	₹ 1,495
120	74	30	45	1.5	0.2s	A7-012052CA110S2	₹ 2,805
120	74	30	45	1.5	0.2	A7-012053CA110S2	₹ 1,265
120	74	30	45	2.5	0.5	A7-012055EA110S2	₹ 1,225
120	74	30	45	5.0	1.0	A7-012056GA110S2	₹ 1,105
125	74	30	45	1.5	0.2s	A7-012552CA110S2	₹ 2,805
125	74	30	45	1.5	0.2	A7-012553CA110S2	₹ 1,275
125	74	30	45	2.5	0.5	A7-012555EA110S2	₹ 1,235
125	74	30	45	5.0	1.0	A7-012556GA110S2	₹ 1,140
150	74	30	45	1.5	0.2s	A7-015052CA110S2	₹ 2,805
150	74	30	45	1.5	0.2	A7-015053CA110S2	₹ 1,210
150	74	30	45	5.0	0.5	A7-015055GA110S2	₹ 1,185
150	74	30	45	7.5	1.0	A7-015056IA110S2	₹ 1,165

Primary A	Length	ID	Depth	VA	Accuracy class	Catcode	New list price
200	74	30	45	2.5	0.2s	A7-020052EA110S2	₹ 2,805
200	74	30	45	2.5	0.2	A7-020053EA110S2	₹ 1,335
200	74	30	45	10	0.5	A7-020055JA110S2	₹ 1,350
200	74	30	45	15	1.0	A7-020056LA110S2	₹ 1,330
250	74	30	45	2.5	0.2s	A7-025052EA110S2	₹ 2,835
250	74	30	45	2.5	0.2	A7-025053EA110S2	₹ 1,400
250	74	30	45	10	0.5	A7-025055JA110S2	₹ 1,385
250	74	30	45	15	1.0	A7-025056LA110S2	₹ 1,340
300	74	30	45	2.5	0.2s	A7-030052EA110S2	₹ 2,835
300	74	30	45	5.0	0.2	A7-030053GA110S2	₹ 1,425
300	74	30	45	10	0.5	A7-030055JA110S2	₹ 1,400
300	74	30	45	15	1.0	A7-030056LA110S2	₹ 1,355
400	74	30	45	5.0	0.2s	A7-040052GA110S2	₹ 2,835
400	74	30	45	7.5	0.2	A7-040053IA110S2	₹ 1,555
400	74	30	45	15	0.5	A7-040055LA110S2	₹ 1,510
400	74	30	45	20	1.0	A7-040056MA110S2	₹ 1,400
500	74	30	45	5.0	0.2s	A7-050052GA110S2	₹ 2,835
500	74	30	45	10	0.2	A7-050053JA110S2	₹ 1,560
500	74	30	45	15	0.5	A7-050055LA110S2	₹ 1,560
500	74	30	45	20	1.0	A7-050056MA110S2	₹ 1,415
600	74	30	45	5.0	0.2s	A7-060052GA110S2	₹ 2,835
600	74	30	45	15	0.2	A7-060053LA110S2	₹ 1,580
600	74	30	45	15	0.5	A7-060055LA110S2	₹ 1,540
600	74	30	45	20	1.0	A7-060056MA110S2	₹ 1,455

Model: MCT74-40(45)

Primary A	Length	ID	Depth	VA	Accuracy class	Catcode	New list price
750	74	30	45	7.5	0.2s	A7-075052IA110S2	₹ 2,835
750	74	30	45	20	0.2	A7-075053MA110S2	₹ 1,790
750	74	30	45	20	0.5	A7-075055MA110S2	₹ 1,740
750	74	30	45	30	1.0	A7-075056OA110S2	₹ 1,605

Primary A	Length	ID	Depth	VA	Accuracy class	Catcode	New list price
800	74	30	45	10	0.2s	A7-080052JA110S2	₹ 2,835
800	74	30	45	30	0.2	A7-080053OA110S2	₹ 1,825
800	74	30	45	30	0.5	A7-080055OA110S2	₹ 1,780
800	74	30	45	30	1.0	A7-080056OA110S2	₹ 1,635
40	74	40	45	1.0	1.0	A8-004056AA110S2	₹ 1,035
50	74	40	45	1.5	1.0	A8-005056CA110S2	₹ 1,045
60	74	40	45	1.5	1.0	A8-006056CA110S2	₹ 1,060
75	74	40	45	2.5	1.0	A8-007556EA110S2	₹ 1,060
80	74	40	45	2.5	1.0	A8-008056EA110S2	₹ 1,060
100	74	40	45	1.0	0.2s	A8-010052AA110S2	₹ 2,960
100	74	40	45	1.5	0.5	A8-010055CA110S2	₹ 1,225
100	74	40	45	3.75	1.0	A8-010056FA110S2	₹ 1,090
120	74	40	45	1.0	0.2s	A8-012052AA110S2	₹ 2,960
120	74	40	45	1.5	0.5	A8-012055CA110S2	₹ 1,235
120	74	40	45	2.5	1.0	A8-012056EA110S2	₹ 1,105
125	74	40	45	1.0	0.2s	A8-012552AA110S2	₹ 2,960
125	74	40	45	1.5	0.5	A8-012555CA110S2	₹ 1,115
125	74	40	45	2.5	1.0	A8-012556EA110S2	₹ 1,105
150	74	40	45	1.5	0.2s	A8-015052CA110S2	₹ 2,960
150	74	40	45	1.0	0.2	A8-015053AA110S2	₹ 1,195
150	74	40	45	3.75	0.5	A8-015055FA110S2	₹ 1,135
150	74	40	45	5.0	1.0	A8-015056GA110S2	₹ 1,105
200	74	40	45	2.5	0.2s	A8-020052EA110S2	₹ 2,960
200	74	40	45	2.5	0.2	A8-020053EA110S2	₹ 1,225
200	74	40	45	5.0	0.5	A8-020055GA110S2	₹ 1,165
200	74	40	45	10	1.0	A8-020056JA110S2	₹ 1,115
250	74	40	45	5.0	0.2s	A8-025052GA110S2	₹ 2,985
250	74	40	45	3.75	0.2	A8-025053FA110S2	₹ 1,240
250	74	40	45	5.0	0.5	A8-025055GA110S2	₹ 1,180
250	74	40	45	10	1.0	A8-025056JA110S2	₹ 1,135
300	74	40	45	5.0	0.2s	A8-030052GA110S2	₹ 2,985

Primary A	Length	ID	Depth	VA	Accuracy class	Catcode	New list price
300	74	40	45	5.0	0.2	A8-030053GA110S2	₹ 1,250
300	74	40	45	10	0.5	A8-030055JA110S2	₹ 1,185
300	74	40	45	15	1.0	A8-030056LA110S2	₹ 1,145
400	74	40	45	5.0	0.2s	A8-040052GA110S2	₹ 2,985
400	74	40	45	10	0.2	A8-040053JA110S2	₹ 1,330
400	74	40	45	10	0.5	A8-040055JA110S2	₹ 1,270
400	74	40	45	15	1.0	A8-040056LA110S2	₹ 1,150
500	74	40	45	5.0	0.2s	A8-050052GA110S2	₹ 2,985
500	74	40	45	10	0.2	A8-050053JA110S2	₹ 1,435
500	74	40	45	15	0.5	A8-050055LA110S2	₹ 1,385
500	74	40	45	20	1.0	A8-050056MA110S2	₹ 1,240
600	74	40	45	5.0	0.2s	A8-060052GA110S2	₹ 2,985
600	74	40	45	15	0.2	A8-060053LA110S2	₹ 1,435
600	74	40	45	15	0.5	A8-060055LA110S2	₹ 1,385
600	74	40	45	20	1.0	A8-060056MA110S2	₹ 1,240
750	74	40	45	5.0	0.2s	A8-075052GA110S2	₹ 2,985
750	74	40	45	15	0.2	A8-075053LA110S2	₹ 1,455
750	74	40	45	15	0.5	A8-075055LA110S2	₹ 1,385
750	74	40	45	20	1.0	A8-075056MA110S2	₹ 1,250
800	74	40	45	7.5	0.2s	A8-080052IA110S2	₹ 2,985
800	74	40	45	15	0.2	A8-080053LA110S2	₹ 1,455
800	74	40	45	15	0.5	A8-080055LA110S2	₹ 1,385
800	74	40	45	20	1.0	A8-080056MA110S2	₹ 1,250
1000	74	40	45	10	0.2s	A8-100052JA110S2	₹ 2,985
1000	74	40	45	15	0.2	A8-100053LA110S2	₹ 1,465
1000	74	40	45	15	0.5	A8-100055LA110S2	₹ 1,395
1000	74	40	45	20	1.0	A8-100056MA110S2	₹ 1,260

Model: MCT86-60(45)

Primary A	Length	ID	Depth	VA	Accuracy class	Catcode	New list price
100	86	60	45	1.0	1.0	A9-010056AA110S2	₹ 1,045
120	86	60	45	1.5	1.0	A9-012056CA110S2	₹ 975
125	86	60	45	2.5	1.0	A9-012556EA110S2	₹ 975
150	86	60	45	2.5	1.0	A9-015056EA110S2	₹ 980
200	86	60	45	1.5	0.5	A9-020055CA110S2	₹ 1,140
200	86	60	45	3.75	1.0	A9-020056FA110S2	₹ 1,035
250	86	60	45	2.5	0.5	A9-025055EA110S2	₹ 1,180
250	86	60	45	5.0	1.0	A9-025056GA110S2	₹ 1,075
300	86	60	45	1.5	0.2s	A9-030052CA110S2	₹ 3,425
300	86	60	45	1.5	0.2	A9-030053CA110S2	₹ 1,290
300	86	60	45	5.0	0.5	A9-030055GA110S2	₹ 1,215
300	86	60	45	7.5	1.0	A9-030056IA110S2	₹ 1,110
400	86	60	45	2.5	0.2s	A9-040052EA110S2	₹ 3,425
400	86	60	45	2.5	0.2	A9-040053EA110S2	₹ 1,345
400	86	60	45	10	0.5	A9-040055JA110S2	₹ 1,270
400	86	60	45	12.5	1.0	A9-040056KA110S2	₹ 1,150
500	86	60	45	2.5	0.2s	A9-050052EA110S2	₹ 3,425
500	86	60	45	3.75	0.2	A9-050053FA110S2	₹ 1,345
500	86	60	45	10	0.5	A9-050055JA110S2	₹ 1,270
500	86	60	45	15	1.0	A9-050056LA110S2	₹ 1,150
600	86	60	45	5.0	0.2s	A9-060052GA110S2	₹ 3,425
600	86	60	45	5.0	0.2	A9-060053GA110S2	₹ 1,345
600	86	60	45	15	0.5	A9-060055LA110S2	₹ 1,270
600	86	60	45	15	1.0	A9-060056LA110S2	₹ 1,180
750	86	60	45	5.0	0.2s	A9-075052GA110S2	₹ 3,425
750	86	60	45	10	0.2	A9-075053JA110S2	₹ 1,435
750	86	60	45	15	0.5	A9-075055LA110S2	₹ 1,355
750	86	60	45	20	1.0	A9-075056MA110S2	₹ 1,250
800	86	60	45	7.5	0.2s	A9-080052IA110S2	₹ 3,425
800	86	60	45	12.5	0.2	A9-080053KA110S2	₹ 1,480

Primary A	Length	ID	Depth	VA	Accuracy class	Catcode	New list price
800	86	60	45	20	0.5	A9-080055MA110S2	₹ 1,400
800	86	60	45	20	1.0	A9-080056MA110S2	₹ 1,275
1000	86	60	45	10	0.2s	A9-100052JA110S2	₹ 3,425
1000	86	60	45	15	0.2	A9-100053LA110S2	₹ 1,540
1000	86	60	45	20	0.5	A9-100055MA110S2	₹ 1,465
1000	86	60	45	30	1.0	A9-100056OA110S2	₹ 1,385
1200	86	60	45	10	0.2s	A9-120052JA110S2	₹ 3,425
1200	86	60	45	15	0.2	A9-120053LA110S2	₹ 1,555
1200	86	60	45	20	0.5	A9-120055MA110S2	₹ 1,480
1200	86	60	45	30	1.0	A9-120056OA110S2	₹ 1,480
1250	86	60	45	10	0.2s	A9-125052JA110S2	₹ 3,425
1250	86	60	45	15	0.2	A9-125053LA110S2	₹ 1,655
1250	86	60	45	20	0.5	A9-125055MA110S2	₹ 1,580
1250	86	60	45	20	1.0	A9-125056MA110S2	₹ 1,490
1500	86	60	45	10	0.2s	A9-150052JA110S2	₹ 3,425
1500	86	60	45	15	0.2	A9-150053LA110S2	₹ 1,740
1500	86	60	45	20	0.5	A9-150055MA110S2	₹ 1,655
1500	86	60	45	20	1.0	A9-150056MA110S2	₹ 1,560
1600	86	60	45	10	0.2s	A9-160052JA110S2	₹ 3,425
1600	86	60	45	15	0.2	A9-160053LA110S2	₹ 1,790
1600	86	60	45	20	0.5	A9-160055MA110S2	₹ 1,710
1600	86	60	45	20	1.0	A9-160056MA110S2	₹ 1,620

Model: MCT104-80(45)

Primary A	Length	ID	Depth	VA	Accuracy class	Catcode	New list price
200	104	80	45	1.5	1.0	AA-020056CA110S2	₹ 1,050
250	104	80	45	1.5	0.5	AA-025055CA110S2	₹ 1,200
250	104	80	45	2.5	1.0	AA-025056EA110S2	₹ 1,105
300	104	80	45	2.5	0.5	AA-030055EA110S2	₹ 1,250
300	104	80	45	7.5	1.0	AA-030056IA110S2	₹ 1,135
400	104	80	45	1.5	0.2	AA-040053CA110S2	₹ 1,345

Primary A	Length	ID	Depth	VA	Accuracy class	Catcode	New list price
400	104	80	45	7.5	0.5	AA-040055IA110S2	₹ 1,290
400	104	80	45	10	1.0	AA-040056JA110S2	₹ 1,200
500	104	80	45	5	0.2	AA-050053GA110S2	₹ 1,215
500	104	80	45	10	0.5	AA-050055JA110S2	₹ 1,180
500	104	80	45	10	1.0	AA-050056JA110S2	₹ 1,205
600	104	80	45	3.75	0.2s	AA-060052FA110S2	₹ 3,725
600	104	80	45	5	0.2	AA-060053GA110S2	₹ 1,270
600	104	80	45	10	0.5	AA-060055JA110S2	₹ 1,240
600	104	80	45	12.5	1.0	AA-060056KA110S2	₹ 1,205
750	104	80	45	5	0.2s	AA-075052GA110S2	₹ 3,725
750	104	80	45	5	0.2	AA-075053GA110S2	₹ 1,400
750	104	80	45	15	0.5	AA-075055LA110S2	₹ 1,360
750	104	80	45	15	1.0	AA-075056LA110S2	₹ 1,260
800	104	80	45	5	0.2s	AA-080052GA110S2	₹ 3,725
800	104	80	45	7.5	0.2	AA-080053IA110S2	₹ 1,415
800	104	80	45	15	0.5	AA-080055LA110S2	₹ 1,395
800	104	80	45	15	1.0	AA-080056LA110S2	₹ 1,275
1000	104	80	45	15	0.2s	AA-100052LA110S2	₹ 3,725
1000	104	80	45	12.5	0.2	AA-100053KA110S2	₹ 1,515
1000	104	80	45	20	0.5	AA-100055MA110S2	₹ 1,415
1000	104	80	45	30	1.0	AA-100056OA110S2	₹ 1,395
1200	104	80	45	15	0.2s	AA-120052LA110S2	₹ 3,725
1200	104	80	45	15	0.2	AA-120053LA110S2	₹ 1,620
1200	104	80	45	20	0.5	AA-120055MA110S2	₹ 1,540
1200	104	80	45	30	1.0	AA-120056OA110S2	₹ 1,480
1250	104	80	45	15	0.2s	AA-125052LA110S2	₹ 3,725
1250	104	80	45	15	0.2	AA-125053LA110S2	₹ 1,635
1250	104	80	45	20	0.5	AA-125055MA110S2	₹ 1,605
1250	104	80	45	30	1.0	AA-125056OA110S2	₹ 1,490
1500	104	80	45	15	0.2s	AA-150052LA110S2	₹ 3,725
1500	104	80	45	15	0.2	AA-150053LA110S2	₹ 1,695

Primary A	Length	ID	Depth	VA	Accuracy class	Catcode	New list price
1500	104	80	45	20	0.5	AA-150055MA110S2	₹ 1,635
1500	104	80	45	30	1.0	AA-150056OA110S2	₹ 1,580
1600	104	80	45	10	0.2s	AA-160052JA110S2	₹ 3,725
1600	104	80	45	15	0.2	AA-160053LA110S2	₹ 1,750
1600	104	80	45	20	0.5	AA-160055MA110S2	₹ 1,740
1600	104	80	45	30	1.0	AA-160056OA110S2	₹ 1,610
2000	104	80	45	10	0.2s	AA-200052JA110S2	₹ 3,725
2000	104	80	45	15	0.2	AA-200053LA110S2	₹ 1,920
2000	104	80	45	20	0.5	AA-200055MA110S2	₹ 1,860
2000	104	80	45	30	1.0	AA-200056OA110S2	₹ 1,795

Model: MCT140-100H(45)

Primary A	Length	ID	Depth	VA	Accuracy class	Catcode	New list price
200	140	100	45	1.5	0.5	AB-020055CA110S2	₹ 1,525
200	140	100	45	3.75	1.0	AB-020056FA110S2	₹ 1,350
250	140	100	45	2.5	0.5	AB-025055EA110S2	₹ 1,560
250	140	100	45	5.0	1.0	AB-025056GA110S2	₹ 1,400
300	140	100	45	3.75	0.5	AB-030055FA110S2	₹ 1,620
300	140	100	45	7.5	1.0	AB-030056IA110S2	₹ 1,435
400	140	100	45	1.5	0.2	AB-040053CA110S2	₹ 1,695
400	140	100	45	7.5	0.5	AB-040055IA110S2	₹ 1,655
400	140	100	45	10	1.0	AB-040056JA110S2	₹ 1,485
500	140	100	45	2.5	0.2	AB-050053EA110S2	₹ 1,740
500	140	100	45	10	0.5	AB-050055JA110S2	₹ 1,710
500	140	100	45	12.5	1.0	AB-050056KA110S2	₹ 1,555
600	140	100	45	2.5	0.2s	AB-060052EA110S2	₹ 4,030
600	140	100	45	3.75	0.2	AB-060053FA110S2	₹ 1,740
600	140	100	45	10	0.5	AB-060055JA110S2	₹ 1,710
600	140	100	45	15	1.0	AB-060056LA110S2	₹ 1,555
750	140	100	45	5.0	0.2s	AB-075052GA110S2	₹ 4,030
750	140	100	45	5.0	0.2	AB-075053GA110S2	₹ 1,825

Primary A	Length	ID	Depth	VA	Accuracy class	Catcode	New list price
750	140	100	45	15	0.5	AB-075055LA110S2	₹ 1,790
750	140	100	45	20	1.0	AB-075056MA110S2	₹ 1,635
800	140	100	45	5.0	0.2s	AB-080052GA110S2	₹ 4,030
800	140	100	45	5.0	0.2	AB-080053GA110S2	₹ 1,860
800	140	100	45	15	0.5	AB-080055LA110S2	₹ 1,825
800	140	100	45	20	1.0	AB-080056MA110S2	₹ 1,655
1000	140	100	45	5.0	0.2s	AB-100052GA110S2	₹ 4,030
1000	140	100	45	10	0.2	AB-100053JA110S2	₹ 1,955
1000	140	100	45	15	0.5	AB-100055LA110S2	₹ 1,920
1000	140	100	45	20	1.0	AB-100056MA110S2	₹ 1,760
1200	140	100	45	10	0.2s	AB-120052JA110S2	₹ 4,030
1200	140	100	45	15	0.2	AB-120053LA110S2	₹ 2,060
1200	140	100	45	15	0.5	AB-120055LA110S2	₹ 2,020
1200	140	100	45	30	1.0	AB-120056MA110S2	₹ 1,865
1250	140	100	45	10	0.2s	AB-125052JA110S2	₹ 4,030
1250	140	100	45	15	0.2	AB-125053LA110S2	₹ 2,080
1250	140	100	45	15	0.5	AB-125055LA110S2	₹ 2,040
1250	140	100	45	30	1.0	AB-125056OA110S2	₹ 1,885
1500	140	100	45	15	0.2s	AB-150052LA110S2	₹ 4,030
1500	140	100	45	20	0.2	AB-150053MA110S2	₹ 2,215
1500	140	100	45	20	0.5	AB-150055MA110S2	₹ 2,175
1500	140	100	45	30	1.0	AB-150056OA110S2	₹ 2,020
1600	140	100	45	15	0.2s	AB-160052LA110S2	₹ 4,030
1600	140	100	45	20	0.2	AB-160053MA110S2	₹ 2,365
1600	140	100	45	20	0.5	AB-160055MA110S2	₹ 2,220
1600	140	100	45	45	1.0	AB-160056RA110S2	₹ 2,175
2000	140	100	45	15	0.2s	AB-200052LA110S2	₹ 4,030
2000	140	100	45	30	0.2	AB-200053OA110S2	₹ 2,595
2000	140	100	45	45	0.5	AB-200055RA110S2	₹ 2,405
2000	140	100	45	45	1.0	AB-200056RA110S2	₹ 2,390
2500	140	100	45	15	0.2s	AB-250052LA110S2	₹ 4,030

Primary A	Length	ID	Depth	VA	Accuracy class	Catcode	New list price
2500	140	100	45	30	0.2	AB-250053OA110S2	₹ 2,720
2500	140	100	45	45	0.5	AB-250055RA110S2	₹ 2,615
2500	140	100	45	45	1.0	AB-250056RA110S2	₹ 2,540
3000	140	100	45	15	0.2s	AB-300052LA110S2	₹ 4,030
3000	140	100	45	30	0.2	AB-300053OA110S2	₹ 2,975
3000	140	100	45	60	0.5	AB-300055UA110S2	₹ 2,865
3000	140	100	45	60	1.0	AB-300056UA110S2	₹ 2,795
4000	140	100	45	15	0.2s	AB-400052LA110S2	₹ 4,030
4000	140	100	45	30	0.2	AB-400053OA110S2	₹ 3,070
4000	140	100	45	60	0.5	AB-400055UA110S2	₹ 3,040
4000	140	100	45	60	1.0	AB-400056UA110S2	₹ 2,905
30	45	14	40	1	0.1	A1-003016AA110S2	₹ 925
50	45	21	40	1.5	0.1	A2-005016CA110S2	₹ 860
75	45	21	40	2.5	0.1	A2-007516EA110S2	₹ 895
100	50	30	30	2.5	0.1	A4-010016EA110S2	₹ 795
200	62	40	40	1	0.5	A6-020054AA110S2	₹ 890
300	62	40	40	1.5	0.5	A6-030054CA110S2	₹ 965
400	62	40	40	2.5	0.5	A6-040054EA110S2	₹ 1,065
500	86	60	45	2.5	0.5	A9-050054EA110S2	₹ 1,220
600	86	60	45	5	0.5	A9-060054GA110S2	₹ 1,285
800	104	80	45	5	0.5	AA-080054GA110S2	₹ 1,305
800	86	60	45	5	0.5	A9-080054GA110S2	₹ 1,145
1600	140	100	45	5	0.5	AB-160054GA110S2	₹ 1,470
2500	140	100	45	5	0.5	AB-250054GA110S2	₹ 1,740
1200	140	100	45	20	0.5	AB-120055MA110S2	₹ 2,105
2500	140	100	45	15	0.5	AB-250055LA110S2	₹ 2,100
630	62	40	40	5	0.5	A6-063055GA110S2	₹ 1,085
630	62	40	40	10	0.5	A6-063055JA110S2	₹ 1,170
630	62	40	40	5	0.5	A6-063056GA110S2	₹ 1,085
1600	104	80	45	2.5	0.5	AA-160052EA110S2	₹ 1,415
2400	140	100	45	2.5	0.5	AB-240052EA110S2	₹ 1,740

Primary A	Length	ID	Depth	VA	Accuracy class	Catcode	New list price
800	86	60	45	5	0.5	A9-080052GA110S2	₹ 1,285
1000	104	80	45	5	0.5	AA-100052GA110S2	₹ 1,305
1250	104	80	45	5	0.5	AA-125052GA110S2	₹ 1,360
1600	104	80	45	5	0.5	AA-160052GA110S2	₹ 1,470
200	62	30	40	10	0.5	A5-020056JA110S2	₹ 1,090
3200	140	100	45	15	0.5	AB-320052LA110S2	₹ 2,015
3200	140	100	45	30	0.5	AB-320053OA110S2	₹ 2,015
3200	140	100	45	60	0.5	AB-320055UA110S2	₹ 2,015
3200	140	100	45	60	0.5	AB-320056UA110S2	₹ 2,015

1. Box packing: Single range of 20 nos and 40 nos with additional discount applicable.
2. 5-year manufacturing warranty on products purchased from the authorised dealer.
3. For non-standard ranges and delivery, kindly consult with branches / booking team.
4. Minimum order value Rs 10,000/ else additional charges of Rs 1,000/- will be levied.
5. Above catcodes are for 5 amp. Secondary for 1 amp. Consult respective branch office to know more.

Model: Ring type CT's

CT insulation	Size	CT rating primary	CT rating secondary	CT accuracy class	CT burden	Number	New list price
Plastic Casing	TW CT 120-80 (42)	300	5	0.5	2.5VA	B5-030055EA110S2	₹ 1,370
Plastic Casing	TW CT 120-80 (42)	300	5	1.0	5VA	B5-030056GA110S2	₹ 1,370
Plastic Casing	TW CT 120-80 (42)	300	5	0.5	2.5VA	B5-030055EA110S2	₹ 1,370
Plastic Casing	TW CT 120-80 (42)	300	5	1.0	5VA	B5-030056GA110S2	₹ 1,370
Plastic Casing	TW CT 120-80 (42)	400	5	0.2	2.5VA	B5-040053EA110S2	₹ 1,530
Plastic Casing	TW CT 120-80 (42)	400	5	0.5s	5VA	B5-040054GA110S2	₹ 1,475
Plastic Casing	TW CT 120-80 (42)	400	5	0.5	5VA	B5-040055GA110S2	₹ 1,435
Plastic Casing	TW CT 120-80 (42)	400	5	1.0	10VA	B5-040056JA110S2	₹ 1,435
Plastic Casing	TW CT 120-80 (42)	500	5	0.2	3.75VA	B5-050053FA110S2	₹ 1,595
Plastic Casing	TW CT 120-80 (42)	500	5	0.5s	5VA	B5-050054GA110S2	₹ 1,530
Plastic Casing	TW CT 120-80 (42)	500	5	0.5	10VA	B5-050055JA110S2	₹ 1,510
Plastic Casing	TW CT 120-80 (42)	500	5	1.0	15VA	B5-050056LA110S2	₹ 1,515
Plastic Casing	TW CT 120-80 (42)	600	5	0.2	5VA	B5-060053GA110S2	₹ 1,635
Plastic Casing	TW CT 120-80 (42)	600	5	0.5s	7.5VA	B5-060054IA110S2	₹ 1,575
Plastic Casing	TW CT 120-80 (42)	600	5	0.5	10VA	B5-060055JA110S2	₹ 1,540
Plastic Casing	TW CT 120-80 (42)	800	5	0.2	7.5VA	B5-080053IA110S2	₹ 1,670
Plastic Casing	TW CT 120-80 (42)	800	5	0.5	10VA	B5-080055JA110S2	₹ 1,575
Plastic Casing	TW CT 120-80 (42)	1000	5	0.2	10VA	B5-100053JA110S2	₹ 1,715
Plastic Casing	TW CT 120-80 (42)	1000	5	0.5s	15VA	B5-100054LA110S2	₹ 1,700
Plastic Casing	TW CT 120-80 (42)	1000	5	0.5	15VA	B5-100055LA110S2	₹ 1,650
Plastic Casing	TW CT 120-80 (42)	1000	5	1.0	30VA	B5-100056OA110S2	₹ 1,865
Plastic Casing	TW CT 120-80 (42)	1200	5	0.2	10VA	B5-120053JA110S2	₹ 1,605
Plastic Casing	TW CT 120-80 (42)	1200	5	0.5s	15VA	B5-120054LA110S2	₹ 1,560
Plastic Casing	TW CT 120-80 (42)	1200	5	0.5	15VA	B5-120055LA110S2	₹ 1,545
Plastic Casing	TW CT 120-80 (42)	1200	5	1.0	30VA	B5-120056OA110S2	₹ 1,870
Plastic Casing	TW CT 120-80 (42)	1500	5	0.2	10VA	B5-150053JA110S2	₹ 1,955
Plastic Casing	TW CT 120-80 (42)	1500	5	0.5s	15VA	B5-150054LA110S2	₹ 1,855

CT insulation	Size	CT rating primary	CT rating secondary	CT accuracy class	CT burden	Number	New list price
Plastic Casing	TW CT 120-80 (42)	1500	5	0.5	15VA	B5-150055LA110S2	₹ 1,855
Plastic Casing	TW CT 120-80 (42)	1500	5	1.0	30VA	B5-150056OA110S2	₹ 2,115
Plastic Casing	TW CT 120-80 (42)	1600	5	0.2	10VA	B5-160053JA110S2	₹ 1,985
Plastic Casing	TW CT 120-80 (42)	1600	5	0.5s	15VA	B5-160054LA110S2	₹ 1,975
Plastic Casing	TW CT 120-80 (42)	1600	5	0.5	15VA	B5-160055LA110S2	₹ 1,925
Plastic Casing	TW CT 120-80 (42)	1600	5	1.0	30VA	B5-160056OA110S2	₹ 2,170
Plastic Casing	TW CT 170-130 (42)	600	5	0.5s	2.5VA	B7-060054EA110S2	₹ 1,590
Plastic Casing	TW CT 170-130 (42)	600	5	0.5	5VA	B7-060055GA110S2	₹ 1,590
Plastic Casing	TW CT 170-130 (42)	600	5	1.0	7.5VA	B7-060056IA110S2	₹ 1,580
Plastic Casing	TW CT 170-130 (42)	800	5	0.2	5VA	B7-080053GA110S2	₹ 1,975
Plastic Casing	TW CT 170-130 (42)	800	5	0.5s	7.5VA	B7-080054IA110S2	₹ 1,935
Plastic Casing	TW CT 170-130 (42)	800	5	0.5	10VA	B7-080055JA110S2	₹ 1,750
Plastic Casing	TW CT 170-130 (42)	1000	5	0.2	5VA	B7-100053GA110S2	₹ 1,830
Plastic Casing	TW CT 170-130 (42)	1000	5	0.5	10VA	B7-100055JA110S2	₹ 1,825
Plastic Casing	TW CT 170-130 (42)	1200	5	0.2	5VA	B7-120053GA110S2	₹ 1,600
Plastic Casing	TW CT 170-130 (42)	1200	5	0.5	10VA	B7-120055JA110S2	₹ 1,965
Plastic Casing	TW CT 170-130 (42)	1250	5	0.2	5VA	B7-125053GA110S2	₹ 1,650
Plastic Casing	TW CT 170-130 (42)	1250	5	0.5	10VA	B7-125055JA110S2	₹ 1,895
Plastic Casing	TW CT 170-130 (42)	1500	5	0.2	10VA	B7-150053JA110S2	₹ 1,955
Plastic Casing	TW CT 170-130 (42)	1500	5	0.5s	12.5VA	B7-150054KA110S2	₹ 1,945
Plastic Casing	TW CT 170-130 (42)	1500	5	0.5	15VA	B7-150055LA110S2	₹ 1,945
Plastic Casing	TW CT 170-130 (42)	1500	5	1.0	20VA	B7-150056MA110S2	₹ 2,295
Plastic Casing	TW CT 170-130 (42)	1600	5	0.2	10VA	B7-160053JA110S2	₹ 1,995
Plastic Casing	TW CT 170-130 (42)	1600	5	0.5	15VA	B7-160055LA110S2	₹ 1,995
Plastic Casing	TW CT 170-130 (42)	2000	5	0.2	10VA	B7-200053JA110S2	₹ 2,170
Plastic Casing	TW CT 170-130 (42)	2000	5	0.5	20VA	B7-200055MA110S2	₹ 2,170
Plastic Casing	TW CT 170-130 (42)	2500	5	0.2	12.5VA	B7-250053KA110S2	₹ 2,340
Plastic Casing	TW CT 170-130 (42)	2500	5	0.5s	15VA	B7-250054LA110S2	₹ 2,340
Plastic Casing	TW CT 170-130 (42)	2500	5	0.5	20VA	B7-250055MA110S2	₹ 2,335
Plastic Casing	TW CT 170-130 (42)	3000	5	0.2	12.5VA	B7-300053KA110S2	₹ 4,200

CT insulation	Size	CT rating primary	CT rating secondary	CT accuracy class	CT burden	Number	New list price
Plastic Casing	TW CT 170-130 (42)	3000	5	0.5s	15VA	B7-300054LA110S2	₹ 2,450
Plastic Casing	TW CT 170-130 (42)	3000	5	0.5	20VA	B7-300055MA110S2	₹ 2,450
Plastic Casing	TW CT 170-130 (42)	3200	5	0.2	12.5VA	B7-320053KA110S2	₹ 2,640
Plastic Casing	TW CT 170-130 (42)	3200	5	0.5s	15VA	B7-320054LA110S2	₹ 2,640
Plastic Casing	TW CT 170-130 (42)	3200	5	0.5	20VA	B7-320055MA110S2	₹ 2,640
Plastic Casing	TW CT 120-80 (42)	600	5	1.0	15VA	B5-060056LA110S2	₹ 1,540
Plastic Casing	TW CT 120-80 (42)	800	5	0.5s	10VA	B5-080054JA110S2	₹ 1,620
Plastic Casing	TW CT 120-80 (42)	800	5	1.0	30VA	B5-080056OA110S2	₹ 1,610
Plastic Casing	TW CT 170-130 (42)	800	5	1.0	15VA	B7-080056LA110S2	₹ 1,995
Plastic Casing	TW CT 170-130 (42)	1000	5	0.5s	7.5VA	B7-100054IA110S2	₹ 1,820
Plastic Casing	TW CT 170-130 (42)	1000	5	1.0	15VA	B7-100056LA110S2	₹ 1,830
Plastic Casing	TW CT 170-130 (42)	1200	5	0.5s	7.5VA	B7-120054IA110S2	₹ 1,935
Plastic Casing	TW CT 170-130 (42)	1200	5	1.0	15VA	B7-120056LA110S2	₹ 1,955
Plastic Casing	TW CT 170-130 (42)	1250	5	0.5s	7.5VA	B7-125054IA110S2	₹ 1,660
Plastic Casing	TW CT 170-130 (42)	1250	5	1.0	15VA	B7-125056LA110S2	₹ 2,010
Plastic Casing	TW CT 170-130 (42)	1600	5	0.5s	12.5VA	B7-160054KA110S2	₹ 2,030
Plastic Casing	TW CT 170-130 (42)	1600	5	1.0	20VA	B7-160056MA110S2	₹ 2,395
Plastic Casing	TW CT 170-130 (42)	2000	5	0.5s	15VA	B7-200054LA110S2	₹ 2,425
Plastic Casing	TW CT 170-130 (42)	2000	5	1.0	30VA	B7-200056OA110S2	₹ 2,650
Plastic Casing	TW CT 170-130 (42)	2500	5	1.0	30VA	B7-250056OA110S2	₹ 3,210
Plastic Casing	TW CT 170-130 (42)	3000	5	1.0	30VA	B7-300056OA110S2	₹ 3,300
Plastic Casing	TW CT 170-130 (42)	3200	5	1.0	30VA	B7-320056OA110S2	₹ 3,415
Plastic Casing	TW CT 70-30 (52)	50	5	1.0	1.5VA	B1-005056CA110S2	₹ 1,260
Plastic Casing	TW CT 70-30 (52)	60	5	1.0	1.5VA	B1-006056CA110S2	₹ 1,165
Plastic Casing	TW CT 70-30 (52)	75	5	0.5	1.5VA	B1-007555CA110S2	₹ 1,265
Plastic Casing	TW CT 70-30 (52)	75	5	1.0	2.5VA	B1-007556EA110S2	₹ 1,205
Plastic Casing	TW CT 70-30 (52)	100	5	0.5	2.5VA	B1-010055EA110S2	₹ 1,300
Plastic Casing	TW CT 70-30 (52)	100	5	1.0	5VA	B1-010056GA110S2	₹ 1,290
Plastic Casing	TW CT 70-30 (52)	120	5	0.5	2.5VA	B1-012055EA110S2	₹ 1,300
Plastic Casing	TW CT 70-30 (52)	120	5	1.0	5VA	B1-012056GA110S2	₹ 1,340

CT insulation	Size	CT rating primary	CT rating secondary	CT accuracy class	CT burden	Number	New list price
Plastic Casing	TW CT 70-30 (52)	125	5	0.5	2.5VA	B1-012555EA110S2	₹ 1,300
Plastic Casing	TW CT 70-30 (52)	125	5	1.0	5VA	B1-012556GA110S2	₹ 1,265
Plastic Casing	TW CT 70-30 (52)	150	5	0.5S	2.5VA	B1-015054EA110S2	₹ 1,340
Plastic Casing	TW CT 70-30 (52)	150	5	0.5	5VA	B1-015055GA110S2	₹ 1,355
Plastic Casing	TW CT 70-30 (52)	150	5	1.0	10VA	B1-015056JA110S2	₹ 1,300
Plastic Casing	TW CT 70-30 (52)	200	5	0.2	2.5VA	B1-020053EA110S2	₹ 1,445
Plastic Casing	TW CT 70-30 (52)	200	5	0.5S	5VA	B1-020054GA110S2	₹ 1,375
Plastic Casing	TW CT 70-30 (52)	200	5	0.5	10VA	B1-020055JA110S2	₹ 1,400
Plastic Casing	TW CT 70-30 (52)	200	5	1.0	15VA	B1-020056LA110S2	₹ 1,340
Plastic Casing	TW CT 90-40 (42)	75	5	1.0	1VA	B2-007556AA110S2	₹ 1,340
Plastic Casing	TW CT 90-40 (42)	80	5	1.0	1.5VA	B2-008056CA110S2	₹ 1,350
Plastic Casing	TW CT 90-40 (42)	100	5	0.5	1VA	B2-010055AA110S2	₹ 1,360
Plastic Casing	TW CT 90-40 (42)	100	5	1.0	2.5VA	B2-010056EA110S2	₹ 1,370
Plastic Casing	TW CT 90-40 (42)	120	5	0.5	1VA	B2-012055AA110S2	₹ 1,360
Plastic Casing	TW CT 90-40 (42)	120	5	1.0	2.5VA	B2-012056EA110S2	₹ 1,395
Plastic Casing	TW CT 90-40 (42)	125	5	0.5	1VA	B2-012555AA110S2	₹ 1,360
Plastic Casing	TW CT 90-40 (42)	125	5	1.0	2.5VA	B2-012556EA110S2	₹ 1,395
Plastic Casing	TW CT 90-40 (42)	150	5	0.5	1.5VA	B2-015055CA110S2	₹ 1,395
Plastic Casing	TW CT 90-40 (42)	150	5	1.0	3.75VA	B2-015056FA110S2	₹ 1,395
Plastic Casing	TW CT 90-40 (42)	200	5	0.2	1.5VA	B2-020053CA110S2	₹ 1,660
Plastic Casing	TW CT 90-40 (42)	200	5	0.5S	5VA	B2-020054GA110S2	₹ 1,570
Plastic Casing	TW CT 90-40 (42)	200	5	0.5	5VA	B2-020055GA110S2	₹ 1,410
Plastic Casing	TW CT 90-40 (42)	200	5	1.0	10VA	B2-020056JA110S2	₹ 1,395
Plastic Casing	TW CT 90-40 (42)	250	5	0.2	2.5VA	B2-025053EA110S2	₹ 1,395
Plastic Casing	TW CT 90-40 (42)	250	5	0.5S	7.5VA	B2-025054IA110S2	₹ 1,615
Plastic Casing	TW CT 90-40 (42)	250	5	0.5	7.5VA	B2-025055IA110S2	₹ 1,540
Plastic Casing	TW CT 90-40 (42)	250	5	1.0	15VA	B2-025056LA110S2	₹ 1,345
Plastic Casing	TW CT 90-40 (42)	300	5	0.2	3.75VA	B2-030053FA110S2	₹ 1,325
Plastic Casing	TW CT 90-40 (42)	300	5	0.5S	10VA	B2-030054JA110S2	₹ 1,650
Plastic Casing	TW CT 90-40 (42)	300	5	0.5	10VA	B2-030055JA110S2	₹ 1,580

CT insulation	Size	CT rating primary	CT rating secondary	CT accuracy class	CT burden	Number	New list price
Plastic Casing	TW CT 90-40 (42)	300	5	1.0	20VA	B2-030056MA110S2	₹ 1,355
Plastic Casing	TW CT 98-51(42)	120	5	1.0	1VA	B3-012056AA110S2	₹ 1,580
Plastic Casing	TW CT 98-51(42)	125	5	1.0	1.5VA	B3-012556CA110S2	₹ 950
Plastic Casing	TW CT 98-51(42)	125	5	1.0	1.5VA	B3-012556CA110S2	₹ 950
Plastic Casing	TW CT 98-51(42)	150	5	0.5	1.5VA	B3-015055CA110S2	₹ 1,160
Plastic Casing	TW CT 98-51(42)	150	5	1.0	2.5VA	B3-015056EA110S2	₹ 1,150
Plastic Casing	TW CT 98-51(42)	200	5	0.5S	1.5VA	B3-020054CA110S2	₹ 985
Plastic Casing	TW CT 98-51(42)	200	5	0.5	3.75VA	B3-020055FA110S2	₹ 7,545
Plastic Casing	TW CT 98-51(42)	200	5	1.0	5VA	B3-020056GA110S2	₹ 1,230
Plastic Casing	TW CT 98-51(42)	250	5	0.2	1.5VA	B3-025053CA110S2	₹ 985
Plastic Casing	TW CT 98-51(42)	250	5	0.5s	2.5VA	B3-025054EA110S2	₹ 1,195
Plastic Casing	TW CT 98-51(42)	250	5	0.5	5VA	B3-025055GA110S2	₹ 1,205
Plastic Casing	TW CT 98-51(42)	250	5	1.0	7.5VA	B3-025056IA110S2	₹ 1,205
Plastic Casing	TW CT 98-51(42)	300	5	0.2	1.5VA	B3-030053CA110S2	₹ 1,020
Plastic Casing	TW CT 98-51(42)	300	5	0.5s	2.5VA	B3-030054EA110S2	₹ 1,000
Plastic Casing	TW CT 98-51(42)	300	5	0.5	5VA	B3-030055GA110S2	₹ 1,235
Plastic Casing	TW CT 98-51(42)	300	5	1.0	7.5VA	B3-030056IA110S2	₹ 1,245
Plastic Casing	TW CT 98-51(42)	400	5	0.2	2.5VA	B3-040053EA110S2	₹ 1,080
Plastic Casing	TW CT 98-51(42)	400	5	0.5s	5VA	B3-040054GA110S2	₹ 1,305
Plastic Casing	TW CT 98-51(42)	400	5	0.5	7.5VA	B3-040055IA110S2	₹ 1,305
Plastic Casing	TW CT 98-51(42)	400	5	1.0	10VA	B3-040056JA110S2	₹ 1,325
Plastic Casing	TW CT 98-51(42)	500	5	0.2	3.75VA	B3-050053FA110S2	₹ 1,180
Plastic Casing	TW CT 98-51(42)	500	5	0.5s	5VA	B3-050054GA110S2	₹ 1,185
Plastic Casing	TW CT 98-51(42)	500	5	0.5	10VA	B3-050055JA110S2	₹ 1,200
Plastic Casing	TW CT 98-51(42)	500	5	1.0	15VA	B3-050056LA110S2	₹ 1,455
Plastic Casing	TW CT 98-51(42)	600	5	0.2	3.75VA	B3-060053FA110S2	₹ 1,260
Plastic Casing	TW CT 98-51(42)	600	5	0.5s	7.5VA	B3-060054IA110S2	₹ 1,250
Plastic Casing	TW CT 98-51(42)	600	5	0.5	10VA	B3-060055JA110S2	₹ 1,265
Plastic Casing	TW CT 98-51(42)	600	5	1.0	15VA	B3-060056LA110S2	₹ 1,530
Plastic Casing	TW CT100-50 (42)	120	5	1.0	1VA	B4-012056AA110S2	₹ 1,250

CT insulation	Size	CT rating primary	CT rating secondary	CT accuracy class	CT burden	Number	New list price
Plastic Casing	TW CT100-50 (42)	125	5	1.0	1.5VA	B4-012556CA110S2	₹ 1,250
Plastic Casing	TW CT100-50 (42)	150	5	0.5	1VA	B4-015055AA110S2	₹ 1,265
Plastic Casing	TW CT100-50 (42)	150	5	1.0	2.5VA	B4-015056EA110S2	₹ 1,250
Plastic Casing	TW CT100-50 (42)	200	5	0.5s	1.5VA	B4-020054CA110S2	₹ 1,330
Plastic Casing	TW CT100-50 (42)	200	5	0.5	2.5VA	B4-020055EA110S2	₹ 1,265
Plastic Casing	TW CT100-50 (42)	200	5	1.0	5VA	B4-020056GA110S2	₹ 1,250
Plastic Casing	TW CT100-50 (42)	250	5	0.5s	2.5VA	B4-025054EA110S2	₹ 1,300
Plastic Casing	TW CT100-50 (42)	250	5	0.5	3.75VA	B4-025055FA110S2	₹ 1,260
Plastic Casing	TW CT100-50 (42)	250	5	1.0	7.5VA	B4-025056IA110S2	₹ 1,260
Plastic Casing	TW CT100-50 (42)	300	5	0.5s	3.75VA	B4-030054FA110S2	₹ 1,345
Plastic Casing	TW CT100-50 (42)	300	5	0.5	5VA	B4-030055GA110S2	₹ 1,280
Plastic Casing	TW CT100-50 (42)	300	5	1.0	10VA	B4-030056JA110S2	₹ 1,350
Plastic Casing	TW CT100-50 (42)	400	5	0.2	5VA	B4-040053GA110S2	₹ 1,455
Plastic Casing	TW CT100-50 (42)	400	5	0.5s	7.5VA	B4-040054IA110S2	₹ 1,300
Plastic Casing	TW CT100-50 (42)	400	5	0.5	10VA	B4-040055JA110S2	₹ 1,450
Plastic Casing	TW CT100-50 (42)	400	5	1.0	20VA	B4-040056MA110S2	₹ 1,455
Plastic Casing	TW CT100-50 (42)	500	5	0.2	7.5VA	B4-050053IA110S2	₹ 1,590
Plastic Casing	TW CT100-50 (42)	500	5	0.5s	10VA	B4-050054JA110S2	₹ 1,590
Plastic Casing	TW CT100-50 (42)	500	5	0.5	15VA	B4-050055LA110S2	₹ 1,445
Plastic Casing	TW CT100-50 (42)	500	5	1.0	25VA	B4-050056NA110S2	₹ 1,625
Plastic Casing	TW CT100-50 (42)	600	5	0.2	10VA	B4-060053JA110S2	₹ 1,660
Plastic Casing	TW CT100-50 (42)	600	5	0.5s	15VA	B4-060054LA110S2	₹ 1,670
Plastic Casing	TW CT100-50 (42)	600	5	0.5	15VA	B4-060055LA110S2	₹ 1,510
Plastic Casing	TW CT100-50 (42)	600	5	1.0	25VA	B4-060056NA110S2	₹ 1,680
Plastic Casing	TW CT 140-100 (42)	500	5	0.5	5VA	B6-050055GA110S2	₹ 1,420
Plastic Casing	TW CT 140-100 (42)	500	5	1.0	7.5VA	B6-050056IA110S2	₹ 1,420
Plastic Casing	TW CT 140-100 (42)	600	5	0.2	1.5VA	B6-060053CA110S2	₹ 1,870
Plastic Casing	TW CT 140-100 (42)	600	5	0.5s	3.75VA	B6-060054FA110S2	₹ 1,840
Plastic Casing	TW CT 140-100 (42)	600	5	0.5	5VA	B6-060055GA110S2	₹ 3,460
Plastic Casing	TW CT 140-100 (42)	600	5	1.0	10VA	B6-060056JA110S2	₹ 1,800

CT insulation	Size	CT rating primary	CT rating secondary	CT accuracy class	CT burden	Number	New list price
Plastic Casing	TW CT 140-100 (42)	800	5	0.2	2.5VA	B6-080053EA110S2	₹ 1,895
Plastic Casing	TW CT 140-100 (42)	800	5	0.5s	7.5VA	B6-080054IA110S2	₹ 1,870
Plastic Casing	TW CT 140-100 (42)	800	5	0.5	10VA	B6-080055JA110S2	₹ 1,840
Plastic Casing	TW CT 140-100 (42)	800	5	1.0	15VA	B6-080056LA110S2	₹ 1,840
Plastic Casing	TW CT 140-100 (42)	1000	5	0.2	5VA	B6-100053GA110S2	₹ 1,955
Plastic Casing	TW CT 140-100 (42)	1000	5	0.5s	7.5VA	B6-100054IA110S2	₹ 1,895
Plastic Casing	TW CT 140-100 (42)	1000	5	0.5	10VA	B6-100055JA110S2	₹ 1,870
Plastic Casing	TW CT 140-100 (42)	1000	5	1.0	15VA	B6-100056LA110S2	₹ 1,870
Plastic Casing	TW CT 140-100 (42)	1200	5	0.2	10VA	B6-120053JA110S2	₹ 2,040
Plastic Casing	TW CT 140-100 (42)	1200	5	0.5s	12.5VA	B6-120054KA110S2	₹ 2,010
Plastic Casing	TW CT 140-100 (42)	1200	5	0.5	15VA	B6-120055LA110S2	₹ 1,985
Plastic Casing	TW CT 140-100 (42)	1200	5	1.0	25VA	B6-120056NA110S2	₹ 1,985
Plastic Casing	TW CT 140-100 (42)	1250	5	0.2	10VA	B6-125053JA110S2	₹ 2,100
Plastic Casing	TW CT 140-100 (42)	1250	5	0.5s	12.5VA	B6-125054KA110S2	₹ 2,090
Plastic Casing	TW CT 140-100 (42)	1250	5	0.5	15VA	B6-125055LA110S2	₹ 2,080
Plastic Casing	TW CT 140-100 (42)	1250	5	1.0	25VA	B6-125056NA110S2	₹ 2,080
Plastic Casing	TW CT 140-100 (42)	1500	5	0.2	10VA	B6-150053JA110S2	₹ 2,165
Plastic Casing	TW CT 140-100 (42)	1500	5	0.5s	12.5VA	B6-150054KA110S2	₹ 2,165
Plastic Casing	TW CT 140-100 (42)	1500	5	0.5	15VA	B6-150055LA110S2	₹ 2,155
Plastic Casing	TW CT 140-100 (42)	1500	5	1.0	25VA	B6-150056NA110S2	₹ 2,155
Plastic Casing	TW CT 140-100 (42)	1600	5	0.2	10VA	B6-160053JA110S2	₹ 2,260
Plastic Casing	TW CT 140-100 (42)	1600	5	0.5s	12.5VA	B6-160054KA110S2	₹ 2,240
Plastic Casing	TW CT 140-100 (42)	1600	5	0.5	15VA	B6-160055LA110S2	₹ 2,225
Plastic Casing	TW CT 140-100 (42)	1600	5	1.0	25VA	B6-160056NA110S2	₹ 2,225
Plastic Casing	TW CT 140-100 (42)	2000	5	0.2	15VA	B6-200053LA110S2	₹ 2,360
Plastic Casing	TW CT 140-100 (42)	2000	5	0.5s	20VA	B6-200054MA110S2	₹ 2,305
Plastic Casing	TW CT 140-100 (42)	2000	5	0.5	25VA	B6-200055NA110S2	₹ 2,275
Plastic Casing	TW CT 140-100 (42)	2000	5	1.0	30VA	B6-200056OA110S2	₹ 2,275
Plastic Casing	TW CT 140-100 (42)	2500	5	0.2	15VA	B6-250053LA110S2	₹ 2,540
Plastic Casing	TW CT 140-100 (42)	2500	5	0.5s	20VA	B6-250054MA110S2	₹ 2,540

CT insulation	Size	CT rating primary	CT rating secondary	CT accuracy class	CT burden	Number	New list price
Plastic Casing	TW CT 140-100 (42)	2500	5	0.5	25VA	B6-250055NA110S2	₹ 2,540
Plastic Casing	TW CT 140-100 (42)	2500	5	1.0	30VA	B6-250056OA110S2	₹ 2,540
Plastic Casing	TW CT 140-100 (42)	3000	5	0.2	15VA	B6-300053LA110S2	₹ 2,825
Plastic Casing	TW CT 140-100 (42)	3000	5	0.5s	25VA	B6-300054NA110S2	₹ 2,810
Plastic Casing	TW CT 140-100 (42)	3000	5	0.5	25VA	B6-300055NA110S2	₹ 2,810
Plastic Casing	TW CT 140-100 (42)	3000	5	1.0	30VA	B6-300056OA110S2	₹ 2,810
Plastic Casing	TW CT 140-100 (42)	3200	5	0.2	15VA	B6-320053LA110S2	₹ 2,935
Plastic Casing	TW CT 140-100 (42)	3200	5	0.5s	25VA	B6-320054NA110S2	₹ 2,935
Plastic Casing	TW CT 140-100 (42)	3200	5	0.5	25VA	B6-320055NA110S2	₹ 2,935
Plastic Casing	TW CT 140-100 (42)	3200	5	1.0	30VA	B6-320056OA110S2	₹ 2,935

Terms and conditions

1. All prices are quoted on an Ex Works basis.
2. Freight will be charged additionally, as applicable.
3. This issue of price list supersedes all previous price lists / offered rates / contracts.
4. All prices are in Indian Rupees (INR), effective from May'25.
5. The list prices mentioned are exclusive of all taxes and duties.
6. Minimum order value criteria should be observed while ordering.
7. The prices are subject to change without prior notice.
8. Prices invoiced will be those prevailing on the date of dispatch.
9. The company reserves the right to supply goods at its discretion.
10. All digital products in the price list carry a 10-year warranty against manufacturing defects {Product life warranty}.
11. Orders, once placed, will not be cancelled under any circumstances.
12. Standard delivery time for the listed products is 6 to 8 weeks.
13. For any non-standard requirements, please contact the nearest sales office regarding technical feasibility, pricing, and delivery timelines.
14. Product evolution is a continuous process, and Secure reserves the right to modify / withdraw any product without prior notice.

Our comprehensive range of products



ProQ 100

Revenue meter with cutting-edge power quality features



Apex 150

Precision metering series



Summator 100

Precision digital summation system



SaraL

Single-phase and three-phase direct connected credit meters




Liberty 170 and 370

Pre-payment electricity meters



Liberty 200 and 500

Single-phase and three-phase smart meters



eWatch online

Cloud-based energy management



eWatch ss ABT

Online bulk power monitoring and revenue management




Beanbag Cool

Centralised AC monitoring



Premier 300 and 500

LT / CT operated energy meter



Resin cast LV CTs

Low voltage current transformers




MonitorIT Pumps

Pump performance monitoring solution



Skyline E90, 410, T45

NB-IoT / 4G / GPRS modem



my eWatch online

Mobile-based energy efficiency solution

Our office addresses

Head office

Udaipur

Pratapnagar Industrial Area,
Udaipur - 313003 India
T: 0294 2492300-05

Regional offices

Bengaluru

No. 401, 5th Floor, SKAV 909, 9/1, Lavelle Road,
Richmond Circle, Bengaluru - 560001

Kolkata

Infinity Benchmark Tower, 9th Floor, Office-2, Plot No. - G1,
Block - EP & GP, Sector - V, Salt Lake, Kolkata - 700091
T: 033 23577241-43, 033 40201900

Branch offices

Bhopal

Secure Meters Limited
503, 4th floor, Tower-H
Noor US sabah residency, VIP road, Bhopal
M.P. 462001.

Chandigarh

SCO 82, 2nd Floor sector 12, Panchkula,
Chandigarh - 134112

Jaipur

404, City Corporate, D-III, Malviya Marg,
C-Scheme, Jaipur - 302001

Patna

3rd Floor, MRT Square
East Boring Canal Road
Thana No. - 07, Ward No.-023, Patna - 800001
T: 033 23577241-43, 033 40201900

Ranchi

2/237, P.O. - Argora, Argora Pundag Road,
Near Yamaha Service Centre, Ranchi - 834002

Vadodara

403, Race Course Tower, Race Course Circle, Near Pashabhai Park,
Race Course Circle, Vadodara - 390007

Resident Engineers

Our Resident Engineers are working in Ahmedabad, Dehradun,
Indore, Jamshedpur, Kanpur, Ludhiana, Nashik, Prayagraj, Pune,
Surat and Coimbatore.

Corporate address

Gurugram

401, 4th floor, Sector 30 Park Centra
Delhi-Jaipur Highway, Gurugram - 122001
T: 0124 4670200-201

Mumbai

7th Floor, Supreme Head Quarter,
Plot No 453, Junction of 14th & 33rd Road,
Off, Linking Rd, opposite Monkey Bar, Bandra, West,
Mumbai - 400055

Bhubaneswar

Plot no. N5/ 538, IRC village, Nayapalli
Bhubaneswar - 751015

Chennai

No 1A, 1st Floor, Aashirwad Apartments, 3 Mc Nicholas Road,
Chetpet, Chennai- 60003

Guwahati

C/O J C Barman, House no-14, Jonali Path,
R G Barua Road, Guwahati - 781024

Lucknow

2nd Floor, Raj Chambers, Opp. Ymca Building,
Rana Pratap Marg, Lucknow - 226001

Raipur

2/237, Behind Nayak Bhawan, Near Radha Krishna Mandir,
Shitala Mata Chauk, Daganiya, Raipur - 492013

Secunderabad

Plot no. 5, House no: 3-9-138, First Floor, Simhapuri Colony
West Marredpally, Secunderabad - 500026

For all sales related queries, drop an email at
mktg@securemeters.com

Our manufacturing units



Udaipur, India



Solan, India



Sanand, India



Bristol, UK



Rovereto, Italy

For enquiries email at info@sbsyscon.in or call at +91 98995 98955